



EuroGarden

EQUIPMENT & ACCESSORIES

RIDE-ON MOWERS

DETHATCHERS - AERATORS - SPREADERS - SOWING MACHINE - DRAG HARROW


2025



LAWNROLLERS - CARTS - TRAILERS - RAMPS - MOWER LIFTS - HAND TRUCK

WWW.EUROGARDEN.COM

RIDE-ON MOWERS



TRANSPORT



CARTS
from **P4**

WOOD TROLLEY
CART WITH METAL MESH
TRAILER WITH TILTING BIN
HAND TRUCK

**TILTING
WITH SIDE
OPENINGS**

CAPACITY :
150 Kg → 454 Kg



TRAILERS
from **P6**

PLASTIC BIN
METAL BIN

**PUSH-TYPE
TOW-TYPE**

CAPACITY :
200 Kg → 540 Kg

LOADING



RAMPS
from **P10**


STRAIGHT RAMPS
CURVED RAMPS
FOLDABLE RAMPS

TYPE :
ALUMINUM
METAL

LENGTH :
1,5 M → 2,5 M

CAPACITY :
400 Kg* → 3310 Kg*

MAINTENANCE



**RIDE-ON & LAWN
MOWER LIFTS**
from **P14**


FRONTAL /SIDE
SCREW JACK /
HYDRAULIC JACK

ANGLE :
35° → 45°

WHEELBASE :
105 CM → 130 CM

CAPACITY :
100 Kg → 500 Kg

ACCESSORIES RIDE-ON MOWERS



**ACCESSORIES
RIDE-ON MOWERS**
from **P17**

PROTECTION
COVERS

STEERING KNOBS

TIRE SEALANT

ACCESSORIES



DETHATCHERS / AERATORS



**TOWED
DETHATCHERS / AERATORS**
from **P18**

DETHATCHER / AERATOR
AERATOR / LINE SPREADER
AERATOR

WORKING WIDTH :
80 CM → 100 CM

SPREADERS



SPREADERS
from **P19**

HANDHELD
PUSH MODEL
TOWED MODEL

TYPE :
IN-LINE
ROTARY

WORKING WIDTH:
56 CM → 4 M

CAPACITY :
3 Kg → 90 Kg

LAWNROLLERS



LAWNROLLERS
from **P24**

PUSH MODEL
TOWED MODEL

WORKING WIDTH :
50 CM → 122 CM

MAX. WEIGHT :
72 Kg → 270 Kg

SWEEPING



LAWN SWEEPERS
from **P26**

PUSH MODEL
TOWED MODEL

WORKING WIDTH :
66 CM → 107 CM

BAG CAPACITY :
190 L → 420 L

CARTS


TURFMASTER
TRAILER WITH TILTING BIN
250 KG

- Tow behind model with tilting bin.
- Equipped with four steel wheels 410/350 -4.
- Dimensions of the green bin: 94,4 x 50,5 x 21 cm.
- Max. load capacity of 250 kg.

REF : XBITC250
EAN : 3582321365428


TURFMASTER
WHEEL WITH BALL BEARING

Wheel with bearings.
For XBITC250, XBITC255 trailers.
Dimensions: 410 / 350 x 4 (2 PLY).

REF : 7106740
EAN : 3582321747149


TURFMASTER
TRAILER WITH TILTING BIN
250 KG

- Towed model with tilting bin.
- Equipped with four steel wheels 410/350 -4.
- Dimensions of the grey bin: 94,4 x 50,5 x 21 cm.
- Max. load capacity of 250 kg.

REF : XBITC255
EAN : 3582321748214



FOR LOGS



TURFMASTER

WOOD TROLLEY

- With cover.
- Max. load capacity of 150 kg.
- Dimensions assembled (L x w x H): 60 x 52 x 108 cm.
- Inflatable tires.

REF: XBIWT150
EAN: 5420035803936



MUST HAVE!

CARTS




TURFMASTER

HAND TRUCK

- Steel chassis.
- With folding platform of 29 x 37 cm.
- Pneumatic tires 410 x 350 x 4".
- Max. load capacity of 200 kg.
- Weight: 10 kg.
- Dimensions:
 - Height: 123 cm.
 - Width: 49 cm.
 - Depth: 67 cm.

REF: XLIFT001
EAN: 3582321720128



CARTS WITH METAL MESH



TURFMASTER

CART WITH METAL MESH 363 KG

- With fold down front, rear and side panels.
- Pneumatic tires 10x350-4.
- Dimensions bin 97 x 51 x 30 cm.
- Max. load capacity of 363 kg.

REF: XBIMC363
EAN: 3582329993456



TURFMASTER

CART WITH METAL MESH 454 KG

- With fold down front, rear and side panels.
- Pneumatic tires 13x350-6.
- Dimensions bin 114 x 59 x 30 cm.
- Max. load capacity of 454 kg.

REF: XBIMC454
EAN: 3582329993463



TRAILERS WITH PLASTIC BIN

CONVERTIBLE INTO WHEELBARROW

TURFMASTER

TRAILER WITH PLASTIC TILTING BIN 200 KG

- Made of polyethylene.
- Easily convertible into wheelbarrow version.
- Dimensions of the bin: 100 x 75 x 25 cm.
- Max. load capacity of 200 kg.

REF: XBIPCT200B
EAN : 3582321842677



CONVERTIBLE INTO WHEELBARROW

TURFMASTER

TRAILER WITH PLASTIC TILTING BIN 250 KG

- Made of polyethylene.
- Easily convertible into wheelbarrow version.
- Dimensions of the bin: 114 x 80 x 30 cm.
- Max. load capacity of 250 kg.

REF: XBIPCT250
EAN : 3582321250090



CONVERTIBLE INTO WHEELBARROW

TURFMASTER

TRAILER WITH PLASTIC TILTING BIN 300 KG

- Made of polyethylene.
- Easily convertible into wheelbarrow version.
- Dimensions of the bin: 114 x 80 x 30 cm.
- Max. load capacity of 300 kg.

REF: XBIPCT300
EAN : 3582321842684



TURFMASTER
**TRAILER WITH PLASTIC
TILTING BIN 270 KG**

- Made of polyethylene.
- 110° swivel function for left/right side dumping.
- 13" pneumatic tires.
- Dimensions of the bin: 121 x 83 x 29 cm.
- Max. load capacity of 270 kg.

REF : XBIOH3040PSD
EAN : 3582322018286



SIDE PIVOT

110°

HEAVY DUTY
TURFMASTER
**TRAILER WITH PLASTIC
HEAVY DUTY TILTING BIN
540 KG**

- Made of «Heavy duty» polyethylene.
- 105° swivel function for left/right side dumping.
- 16" pneumatic tires.
- Max. load capacity of 540 kg.

REF : XBIOH4048PSD
EAN : 3582322018293

SIDE PIVOT

105°


MUST HAVE!
UNIVERSAL
ELASTIC NET

Elastic trailer net. Dimensions: 125 X 105 cm.

REF : 9108100
EAN : 3582321363943



Limited Stock





TRAILERS WITH STEEL BIN



TURFMASTER

METAL TRAILER WITH TILTING BIN 180 KG

- Removable tailgate.
- Dimensions of the bin: 96 x 71 x 30 cm.
- Max. load capacity of 180 kg.

REF : XBIDC180
EAN : 3582321706306



TURFMASTER

METAL TRAILER WITH TILTING BIN 226 KG

- Welded bin.
- Removable tailgate.
- Dimensions of the bin: 97 x 76,5 x 25,5 cm.
- Max. load capacity of 226 kg.

REF : XBILC700B
EAN : 3582321732893





TURFMASTER

**METAL TRAILER WITH
TILTING BIN 300 KG**

- Removable tailgate.
- Dimensions of the bin: 112 x 75 x 30 cm.
- Max. load capacity of 300 kg.



REF : XBILDT1002
EAN : 3582326800306

GALVANISED STEEL

TURFMASTER

**METAL TRAILER WITH
TILTING BIN 320 KG**

- Galvanised steel bin.
- Removable tailgate.
- Dimensions of the bin: 106 x 84 x 30 cm.
- Max. load capacity of 320 kg.



REF : XBIGAL320
EAN : 3582325200138




TURFMASTER

**METAL TRAILER WITH
TILTING BIN 500 KG**

- In steel.
- Removable tailgate.
- Dimensions of the bin: 120 x 85 x 37 cm.
- Max. load capacity of 500 kg.



REF : XBILC1500B
EAN : 3582321365398





STRAIGHT RAMPS



STEEL



TURFMASTER

STRAIGHT RAMPS 1,5 M

Set of 2 straight metal ramps, non-slip profile.

- Length: 150 cm.
- Width: 23 cm.
- Max. capacity of 450 kg/pair.

REF : 9108227
EAN : 3582321727233



TURFMASTER

STRAIGHT RAMPS 1,95 M

Set of 2 straight metal ramps, non-slip profile.

- L: 195 cm, w: 23 cm.
- Max. capacity of 450 kg/pair.

REF : 9108204
EAN : 3582321362724



ALUMINUM

TURFMASTER

STRAIGHT RAMPS 1,5 M

Set of 2 straight aluminum ramps, non-slip profile.

- Length: 150 cm.
- Width: 20 cm.
- Max. capacity of 400 kg/pair.

REF : 9108221B
EAN : 3582321842295



TURFMASTER

STRAIGHT RAMPS 2 M

Set of 2 straight aluminum ramps, non-slip profile.

- Length: 200 cm.
- Width: 20 cm.
- Max. capacity of 400 kg/pair.

REF : 9108215B
EAN : 3582321843599

TURFMASTER

STRAIGHT RAMPS 2 M

Set of 2 straight aluminum ramps, non-slip profile.

- Length: 200 cm.
- Width: 26 cm.
- Max. capacity of 1000 kg/pair.

REF : 9108222B
EAN : 3582321842301



ALUMINUM

TURFMASTER

STRAIGHT RAMPS 1,97 M

Set of 2 straight aluminum ramps, non-slip profile.

- Length: 197 cm.
- Width: 30,5 cm.
- Max. capacity of 3310 kg/pair.



REF : 9108225
EAN : 3582321709598



ALUMINUM

TURFMASTER

STRAIGHT RAMPS 2 M

Set of 2 straight aluminum ramps, non-slip profile.

- Length: 200 cm.
- Width: 37 cm.
- Max. capacity of 1600 kg/pair.



REF : 9108224
EAN : 3582321709581



TURFMASTER

STRAIGHT RAMPS 2,5 M

Set of 2 straight aluminum ramps, non-slip profile.

- Length: 250 cm.
- Width: 26 cm.
- Max. capacity of 1000 kg/pair.

REF : 9108214B
EAN : 3582321842325



FOR MOUNTING ON BOARDS



UNIVERSAL

SHOES FOR WOODEN RAMP

Set of 2 aluminum shoes for wooden ramps, width: 28 cm. Use with boards 5 cm thick (not included). Supplied with screws and nuts.

REF : 9106884
EAN : 3582321837703

FOLDABLE RAMPS



CURVED - FOLDABLE ALUMINUM

TURFMASTER


FOLDABLE RAMPS 2,26 M

- Set of 2 foldable curved aluminum ramps.
- With rolling surface made of perforated plates.
 - Length: 226 cm / 116 cm folded.
 - Width: 30 cm.
 - Max. capacity of 680 kg/pair.
 - Safety straps included.

REF: 9108202
EAN: 3582321361130

680 kg
PER PAIR

226
CM



TURFMASTER


FOLDABLE RAMPS 2,26 M

- Set of 2 foldable curved aluminum ramps.
- With rolling surface made of perforated plates.
 - Length: 226 cm / 116 cm folded.
 - Width: 30 cm.
 - Max. capacity of 600 kg/pair.
 - Safety straps included.


REF: 9108223
EAN: 3582321709574

600 kg
PER PAIR

226
CM



SOLD PER PIECE



TURFMASTER

FOLDABLE RAMPS 2,44 M

- Foldable curved aluminium ramp, non-slip profile.
- Length: 244 cm / 126 cm folded.
 - Width: 43 cm.
 - Maximum capacity of 650 kg/piece (1300 kg/pair).

-SOLD PER PIECE-

244
CM

1300 Kg
PER PAIR
650 Kg
PER PIECE

REF: 9108207
EAN: 3582321363639

TURFMASTER

FOLDABLE RAMPS 2,26 M

- Set of 2 foldable curved aluminium ramps.
- Comes with 4 adjustable feet.
 - Length: 226 cm / 117 cm folded.
 - Width: 30 cm.
 - Max. capacity of 1360 kg/pair.
 - Safety straps included.


REF: 9108210
EAN: 3582321480763

226
CM

1360 Kg
PER PAIR



STRAIGHT - FOLDABLE STEEL



TURFMASTER

FOLDABLE RAMPS 1,93 M

Set of 2 straight foldable ramps in anti-corrosion zinc-plated treated steel, non-slip profile.

- Length: 193 cm / 97 cm folded.
- Width: 25 cm.
- Max. capacity of 450 kg/pair.

REF : 9108228
EAN : 3582321837697



TURFMASTER

FOLDABLE ACCESS RAMP 1,5 M - SPECIAL FOR WHEELCHAIRS

Foldable straight aluminum ramp suitable for wheelchairs.

- Folds in half lengthwise and can be carried like a suitcase.
- With extruded non-slip surface and reflective strips for better visibility.
- Length: 150 cm.
- Width: 78,5 cm / 40,5 folded
- Max. capacity of 454 kg/ramp.



REF : 9108226
EAN : 3582321726045



CURVED RAMPS 1,5 M

ALUMINUM



TURFMASTER

CURVED RAMPS 1,5 M

Set of 2 curved aluminum ramps, non-slip profile.

- Length: 150 cm.
- Width: 20 cm.
- Max. capacity of 400 kg/pair.

REF : 9108213B
EAN : 3582321842318



TURFMASTER

CURVED RAMPS 2 M

Set of 2 curved aluminum ramps, non-slip profile.

- Length: 200 cm.
- Width: 20 cm.
- Max. capacity of 400 kg/pair.

REF : 9108216B
EAN : 3582321843025



ALUMINUM



TURFMASTER

CURVED RAMPS 2,26 M

Set of 2 curved aluminum ramps, non-slip profile.

- Length: 226 cm.
- Width: 30 cm.
- Max. capacity of 680 kg/pair

REF : 9108205
EAN : 3582321362717

RIDE-ON AND LAWN MOWER LIFTS




LAWNMOWER LIFT

TURFMASTER

LAWNMOWER LIFT

- Operates by front lifting.
- Adjustable height from 38 to 55 cm.
- Lifting capacity: 100 kg.
- Weight: 2,3 kg.

REF : XLIFT100
EAN : 3582321708539



FRONT LIFTING



TURFMASTER

RIDE-ON MOWER LIFT UNDER FRONT AXLE

- Lifts under front axle.
- Adjustable wheel width.
- Lift capacity: 130 kg.

REF : XLIFT190
EAN : 3582321901909



TURFMASTER

RIDE-ON MOWER LIFT UNDER FRONT WHEELS

- Lifts under front wheels.
- Adjustable wheel width.
- Lift capacity: 130 kg.

REF : XLIFT200
EAN : 3582321270012



SIDE LIFTING



TURFMASTER

RIDE-ON MOWER LIFT 300 KG

- Lateral lawn tractor lift.
Side lifting with locking system and grease fitting.
- Maximum angle: 42°.
 - Wheelbase: 112 cm.
 - Approved by the LNE.
 - Lifting capacity: 300 kg.

REF : XLIFTXVS205
EAN : 3582321360355






TURFMASTER

RIDE-ON MOWER LIFT 400 KG

Lateral lawn tractor lift.
Side lifting with locking system and grease fitting, ready to use.

- Maximum angle: 35°.
- Wheelbase: 105 cm.
- Approved by the LNE.
- Lifting capacity: 400 kg.

REF : XLIFTXVS200
EAN : 3582329979269



TURFMASTER

RIDE-ON MOWER LIFT 410 KG

Lateral lawn tractor lift.
Side lifting with locking system and grease fitting.

- Delivered with strap and support.
- Maximum angle: 40°.
- Wheelbase: 130 cm.
- Approved by the LNE.
- Lifting capacity: 410 kg.

REF : XLIFTXVS410
EAN : 3582326700163

MUST HAVE



TURFMASTER

WHEEL

Transport wheel for XLIFTXVS205 and XLIFTXVS410.

REF : 9102000
EAN : 3582321363783

RIDE-ON AND LAWN MOWER LIFTS

TURFMASTER

HYDRAULIC LIFT 300 KG

Hydraulic ride-on mower lift.

- With safety latch system (CE standard) - LNE certified.
- Automatic stop at 40°.
- Maximum wheelbase: 110 cm.
- With transport wheels.
- Registered model INPI 486345.
- Lifting capacity: 300 kg.
- CE conformity.

REF : XLIFTXHD300

EAN : 3582321363646



CLIPLIFT



CLIPLIFT

HYDRAULIC LIFT CLIPLIFT 300 KG

Hydraulic ride-on mower lift.

- Progressive lifting thanks to the hydraulic foot pump.
- Automatic lifting stop at 45°.
- Lifting height 90 cm.
- Maximum wheelbase: 105 cm.
- Double mechanical safety lock.
- Easy to transport thanks to the integrated caster wheels.
- Lifting capacity: 300 kg.
- CE conformity.

REF : XLIFT300

EAN : 3700799100024



CLIPLIFT

HYDRAULIC LIFT CLIPLIFT 500 KG

CLIPLIFT MAGNUM hydraulic ride-on mower lift.

- Progressive lifting thanks to the hydraulic foot pump.
- Automatic lifting stop at 45°.
- Lifting height 90 cm.
- Maximum wheelbase: 127 cm.
- Double mechanical safety lock.
- Easy to transport thanks to the integrated caster wheels.
- Lifting capacity: 500 kg.
- CE conformity.

REF : XLIFT500

EAN : 3700799100093



PROMOTION

RIDE-ON MOWER ACCESSORIES



REAR DISCHARGE

GARDYPARTS

COVER RIDE-ON MOWER REAR DISCHARGE

For ride-on mowers with rear discharge, in black polyester.
Extra-large model.
Dimensions: 275 x 130 x 140 cm.

REF : 9102497
EAN : 3582321854120

XXL



XL



GARDYPARTS

COVER RIDE-ON MOWER REAR DISCHARGE

For ride-on mowers with rear discharge, in black polyester.
Dimensions: 203 x 127 x 137 cm.

REF : 9102494
EAN : 3582321481135



STEERING KNOBS

UNIVERSAL

STEERING KNOB Ø 22-26 MM

Steering knob suitable for steering wheels with a round cross-section with Ø 22 --> 32 mm. Screw mounting.

REF : 6931928
EAN : 3582329958257



UNIVERSAL

STEERING KNOB Ø 22-32 MM

Universal steering knob in bi-material, with rubber insert and mounting bolts, for Ø 22 --> 32 mm.

REF : 6936842
EAN : 3582329988476



UNIVERSAL

STEERING KNOB Ø 22-32 MM

Steering knob suitable for steering wheels with a round cross-section with Ø 22 --> 32 mm. Supplied with rubber strip and screws.

REF : 6931930
EAN : 3582321842219



SIDE DISCHARGE

XL



GARDYPARTS

COVER RIDE-ON MOWER SIDE DISCHARGE

For ride-on mowers with side discharge, in black polyester.
Dimensions: 177 x 110 x 110 cm.

REF : 9102492
EAN : 3582321481128



TURFMASTER

PROMOTION

TOWED DETHATCHERS / AERATORS

TURFMASTER

DETHATCHER/AERATOR 100 CM


- 20 steel spring tines.
- With transport wheels.
- Working width 100 cm.
- Lever can be handled from ride-on mower seat.
- Ballastable tray.



20 STEEL SPRING TINES

REF : XBITA100
EAN : 3582321231068

9 BLADES / 8 TEETH




TURFMASTER

AERATOR/LINE SPREADER 80 CM

- Working width: 80 cm.
- 45 kg capacity.
- With flow control, handled from ride-on mower seat.
- Sturdy plastic container.

REF : XBIAS80
EAN : 5420035802441

11 BLADES / 12 TEETH



TURFMASTER

AERATOR 100 CM

- Composed of 11 blades with 12 teeth.
- With support wheels.
- Working width: 100 cm.

REF : XBITA500
EAN : 3582321365329

TURFMASTER

PROMOTION

PUSHED SPREADERS



TURFMASTER

HANDHELD SPREADER 3 KG

- Max. capacity of 3 kg.
- Suitable for spreading salt.

REF : XBIHHBS125
EAN : 3582326300158



TURFMASTER


DROP SPREADER PUSH MODEL 25 KG

- Max capacity of 25 kg.
- 30 cm polypropylene wheels.
- 56 cm spreading width.

REF : XBIDS25
EAN : 3582321706290



ADJUSTABLE SPREADING DIRECTION





TURFMASTER

SALT SPREADER PUSH MODEL 36 KG

- Max capacity of 36 kg.
- Working width 2,5 to 3,5 m.
- 12" pneumatic tires.
- Stainless steel frame.
- Spreading direction adjustable by 3 deflectors.
- Including cover and grid to break salt.

REF : XBIPS36SS
EAN : 3582321363608



TURFMASTER

SALT SPREADER PUSH MODEL 45 KG

- Max capacity of 45 kg.
- 12" pneumatic tires.
- Stainless steel frame.
- Spreading direction adjustable by 3 deflectors.
- Including cover and grid to break salt.

REF : XBIPS45SS
EAN : 5420035802557




PUSHED SPREADERS

TURFMASTER

ROTATING SPREADER PUSH MODEL 25 KG

- Max capacity of 25 kg.
- Flow control by means of lever.
- Working width 2 to 3 m.

REF : XBISB52
EAN : 3582321130019




TURFMASTER

ROTATING SPREADER PUSH MODEL 25 KG

- Max capacity of 25 kg.
- Model with round tray and grid to break up fertilizer/salt.
- Flow control with metal rods.
- Pneumatic tires.
- Working width 2 to 3 m.
- Suitable for spreading salt.

REF : XBIPS25R
EAN : 5420035802519





TURFMASTER

ROTATING SPREADER PUSH MODEL 36 KG

- Max capacity of 36 kg.
- Working width 2 to 3 m.
- Flow control with metal rods.
- Protected transmission box.
- Pneumatic tires.

REF : XBIPS36
EAN : 3582321160597





TURFMASTER

ROTATING SPREADER PUSH MODEL 50 KG

- Max capacity of 50 kg.
- Flow control with metal rods.
- Working width 2 to 3 m.
- Tires with inner tubes.

REF : XBIPS50
EAN : 5420035802526

PRO


TURFMASTER

ROTATING SPREADER PUSH MODEL 60 KG


- Max capacity of 60 kg.
- Professional model, handlebar with separate tubes.
- Enclosed gearcase with grease nipple.
- Direct flow adjustment by cable.
- Working width 2,5 to 3,5 m.
- Large 15" pneumatic tires.
- With cover.

REF : XBISB6000RD
EAN : 3582329932059

HANDLEBAR WITH SEPARATE TUBES



STRAIGHT HANDLEBAR



TURFMASTER

ROTATING SPREADER PUSH MODEL 60 KG

- Max capacity of 60 kg.
- Professional model, with straight handlebar.
- Enclosed gearcase with grease nipple.
- Direct flow adjustment by cable.
- Working width 2,5 to 3,5 m.
- Large 15" pneumatic tires.
- With cover.

REF : XBISB6500
EAN : 5420035804612

TURFMASTER

PROMOTION

TOWED SPREADERS




TURFMASTER

ROTATING SPREADER TOW BEHIND MODEL **36 KG**

- Max capacity of 36 kg.
- Flow control.
- Working width 2,5 to 3,5 m.
- 10" tires.

REF : XBITS36
EAN : 3582321261980




TURFMASTER

ROTATING SPREADER TOW BEHIND MODEL **34 KG**

- Max capacity of 34 kg.
- Flow control with metal rods.
- Working width 3,5 m.
- 10" tires.
- Delivered with bin protection cover.

REF : XBITBS4019
EAN : 3582321852805




TURFMASTER

ROTATING SPREADER TOW BEHIND MODEL **56 KG**

- Max capacity of 56 kg.
- Flow control.
- Working width 2,5 to 3,5 m.
- 12 1/2" pneumatic tires with SHAK inner tube.

REF : XBITS56
EAN : 5420035802533



SEMI-PRO




TURFMASTER

SPREADER TOW BEHIND MODEL 60 KG

- Max capacity of 60 kg.
- Flow control adjustable by lever.
- Gearcase with grease nipple.
- Working width up to 3,5 m.
- Large 15" pneumatic tires.
- Delivered with bin protection cover.

REF : XBITBS6000
EAN : 3582321365336




PRO

TURFMASTER

SPREADER TOW BEHIND MODEL 60 KG

- Professional model.
- Max capacity of 60 kg.
- Flow control adjustable by lever.
- Gearcase with grease nipple.
- Working width up to 3,5 m.
- 15" pneumatic tires.
- Delivered with bin protection cover.

REF : XBITBS6500
EAN : 5420035804629



REINFORCED MODEL




TURFMASTER



SPREADER TOW BEHIND MODEL 90 KG

- Professional model.
- Max capacity of 90 kg.
- Flow control adjustable by lever.
- Adjustable spreading direction.
- Gearcase with grease nipple.
- Working width up to 4 m.
- 15" pneumatic tires.
- Delivered with bin protection cover.

REF : XBITBS7000
EAN : 3582321250144



DROP SPREADER



TURFMASTER

SPREADER DROP TOW BEHIND MODEL 80 KG

- Max capacity of 80 kg.
- Working width 100 cm.
- Flow control.
- With pneumatic tires.

REF : XBIDTS100
EAN : 5420035802540

LAWNROLLERS



PUSH MODEL




TURFMASTER

METAL LAWNROLLER 50 CM

- Push model.
- Working width 50 cm.
- Max weight:
 - filled with water: 72 kg.
 - filled with sand: 120 kg.

REF : XALGW50
EAN : 4003718347654



TOWED MODEL

TURFMASTER

PE LAWNROLLER 90 CM

- Ø : 45 cm.
- Towed model.
- Working width 90 cm.
- Max weight filled with water 163 kg.

REF : XBIPLR1836
EAN : 3582329100090



TURFMASTER

METAL LAWNROLLER 91 CM

- Ø: 61 cm
- Towed model.
- With rounded edges to prevent damage to the lawn.
- Black powder coated finish.
- Working width 91 cm.
- Max weight filled with water 270 kg.

REF : XBIOH10T
EAN : 3582322018279



TURFMASTER

PE LAWNROLLER 122 CM

- Ø : 45 cm.
- Towed model.
- Working width 122 cm.
- Max weight filled with water 218 kg.

REF : XBIPLR1848
EAN : 3582329936514




MUST HAVE

TURFMASTER

DRAG HARROW

- Galvanized metal.
- Allows leveling of loose soil or gravel driveway.
- Dimensions 122 x 160 cm.

REF : XBIDH122
EAN : 3582321706313



TURFMASTER

SOWING MACHINE

- Max 2,70 kg.
- Single row seeder with two hoppers for simultaneous use: planting and fertilizing.
- Powder-coated steel frame with tandem concave wheels and two containers (for seed and fertilizer separation).
- Supplied with 7 discs of variable diameter and spacing for sowing different grains or seeds in the ground.
- Reversible line marker and adjustable seeding depth.

REF : XBIGS2010
EAN : 3582321708690



Supplied with
7 discs for sowing




SPRAYER

TURFMASTER

SPRAYER TOW BEHIND MODEL 56 L

- 12V pump to be connected to ride-on mower battery.
- Foldable boom.
- Spraygun with 3,60 m hose.
- 210 cm working width.
- 56 L tank.

REF : XBITCT15FB
EAN : 3582321250137



LAWN SWEEPERS




TOW BEHIND MODEL

TURFMASTER

SWEeper TOW BEHIND MODEL 96 CM

- Working width of 96 cm.
- Bag capacity: 339 L.
- Overdrive speed brush, ratio: 5=1.

REF : XBISW380LT
EAN : 3582321220567



339 L




TOW BEHIND MODEL

TURFMASTER

SWEeper TOW BEHIND MODEL 106 CM

- Working width of 106 cm.
- Bag capacity: 368 L.
- Overdrive speed brush, ratio: 5=1.

REF : XBISW420LT
EAN : 3582321160580



368 L




TURFMASTER

SWEeper TOW BEHIND MODEL 107 CM

- Working width 107 cm (42").
- Bag capacity: 420 L.
- Overdrive speed brush, ratio: 4,5=1.
- Adjustable working height.
- Adjustable left/right drawbar for sweeping outside the tractor track.
- Folding drawbar for vertical storage.

REF : XBIOH4222V2
EAN : 3582322018309



420 L




PUSH MODEL

TURFMASTER

SWEeper PUSH MODEL 66 CM

- Working width of 66cm.
- Overdrive speed brush.
- 10" (25cm) wheels.
- Bag capacity: 190 L.

REF : XBISW26
EAN : 3582329979528



190 L



PROMOTION

TIRE SEALANT



OKO

OKO GREEN 1,25L

BOTTLE OKO™ GREEN™ TIRE SEALANT 1,25 LITER.
For off-road applications: mowers, ride-on mowers, small agricultural equipment.
Supplied with valve removal tools and integrated filling hose.

	CONTENT
9100993 	1,25l
9100998	5l
9100994	25l



OKO

SMALL PUMP TIRE SEALANT

Plastic pump for the OKO 5-liter puncture-proof canister.
Comes with four adapters.
Suitable for Schrader and Presta valves.
Supplied with valve core removal tool.



REF : 9100999
EAN : 5034793800184

X'OIL

TIRE-SEALANT

Tire sealant spray.
For microtractors, wheel barrows, trailers...
Content 300 ml.

REF : 8200973
EAN : 3582320312508



I REPAIR!



DETHATCHERS - AERATORS - SPREADERS



EuroGarden

30/06 • 22/08



RIDE-ON MOWERS

RIDE-ON MOWERS

RIDE-ON MOWERS


RIDE-ON MOWERS

RIDE-ON MOWERS

REF : XBIPCT200B



Non-contractual photos, subject to typographical errors. Descriptive elements of items such as dimensions, weight, and color are presented - purely indicative and have no contractual value. Any difference between these descriptive mentions and the actual dimensions cannot be the subject of complaints on this sole and unique basis. Presentation suggestions. Reproduction, even partial, is prohibited. Do not throw on public roads. The offer for the sale of products presented in this catalog is valid within the limits of available stocks.



REF : XBITC250

REF : 9108204

WHEELERS - CARTS - TRAILERS - RAMPS - MOWERS

WWW.EUROGARDEN.COM

