




EuroGarden

THERMAL & ELECTRICAL PARTS & CONSUMABLES

ACCS & WORKSHOP

TOOLS - CLEANING FOUNTAINS - BATTERY ACCESSORIES - PROTECTION

2025



WORKSHOP BENCHES - LIGHTS - LUBRICANTS - TIRE SEALANT - CHARGERS

03/11 • 28/11

www.eurogarden.com



ACCS & WORKSHOP

p.4 PROTECTION



p.26 LIGHTING



**WORKSHOP
TOOLS**

p.7

TOOLS

p.29

**p.20 SAW CHAIN
MAINTENANCE**



**p.44 MAINTENANCE
PRODUCTS**



**BATTERY
MAINTENANCE**

p.22



**PUMPS &
ACCESSORIES**

p.49



**p.54 PREPARE FOR
WINTER**







NEW

PERFECT FOR YOUR WORKSHOP!

ROBOTS

ROBOTS



Also suitable for
your chainsaws, brush
cutters and blowers.

UNIVERSAL**ADJUSTABLE MAINTENANCE TABLE 40 KG**

Designed to facilitate the maintenance of small appliances such as robotic lawnmowers.

- Adjustable height from 74 to 100 cm.
- Workspace dimensions: 73 x 65 cm.
- Mat provided to protect the workspace and the appliance placed on it.
- Net weight: 20 kg.

A sliding drawer (26 x 39 cm) allows tool storage.

The maintenance table also features a sliding hutch where you can place your computer to perform updates or simply create extra workspace.



NEW !

Check out our other products
from the robot range for
workshop and maintenance on
page 54

REF : 9200200**EAN : 3700799100390**

PROTECTION




OZAKI

BOW EAR PROTECTION

Washable plugs.
Standard EN24869-1, EN352-2.

REF : 9108211
EAN : 3582321480718



OZAKI

EAR PLUGS X10

Pair reusable foam ear plugs with rope
(25db).
Standard EN352-2

REF : 9108465
EAN : 3582321362441



OZAKI

EAR PLUGS X10

Reusable foam ear plugs (37db).
Standard EN352-2

REF : 9108464
EAN : 3582321361192



OZAKI

SAFETY GLASSES

Safety glasses - professional model.
Standard EN166F.
Weight: 40 g.

REF : 9102129
EAN : 3582320027617



OZAKI

SAFETY GLASSES

Safety glasses with strap and dust-proof ventilation.
Standard EN166
Weight: 112 g.

REF : 9102079
EAN : 3582320004410



UNIVERSAL

OVERGLASSES

Protective overglasses for users with prescription glasses.
Perfectly shaped mono lens, colorless, scratch-resistant, UV protection and without distortion of vision.
Height and length adjustable temples.
Standards: EN166 F, EN170.
Weight: 44 g.

REF : 9103034
EAN : 3582321714219



UNIVERSAL

NITRILE GLOVES

Green acrylonitrile protective gloves with flocked cotton lining.
For use with liquids and chemicals.
CE standards EN420, EN388 (3101X), EN374-1 (JKLMNO - Type A), EN374-5.
SIZE 10/L

REF : 9808212
EAN : 3660514236264



EN374-5



EN374-1
JKLMNO

OZAKI

ANTI-CUT GLOVES

Pair anti-cutting gloves, made from multi-fibers, palm coated with polyurethane and micro foam.
The best protection against cuts when handling lawnmower or brushcutter blades.
CE Standards: EN420 - EN388 - 4X43D
Size 10/L.



REF : 9808203
EAN : 5450564019386



SOLIDUR

CLEARANCE WORKS GLOVES

Protective gloves special for thorny shrubs, logging and wiring.
Reinforcement of the palm, fingers and back of the hand.
EN420:2003 +A1:2009, EN388:2016 - 4144X, EN407:2020 - 422231.
Size 10/L.

REF : 9808213
EAN : 3582322018446



EN388
4144X

UNIVERSAL

POLYESTER WORKSHOP GLOVES

With polyurethane coating for precision handling work.
Seamless, ventilated back with elasticated cuff.
For handling small parts with high grip.
High level of tear resistance.
Standards EN420, EN388: 2016 - 3131X



EN388
3131X



UNIVERSAL

BAMBOO WORKSHOP GLOVES

Made from BAMBOO fabric (hypoallergenic), NYLON and SPANDEX with nitril rubber coated palm for precise tasks and protection against oil and grease.
Size 10/L.
Standards CE EN420 - EN388 - 4121X.

REF : 9808202
EAN : 3582321480725



EN388
4121X

9808210/8

9808210/9

9808210/10

SIZE

8/M

9/L

10/XL

NEW !

UNIVERSAL

WINTER GLOVES

Seamless acrylic knit with double latex palm induction.
High visibility yellow.
For cold and wet environments.
CE standards EN420, EN388 - 2242X & EN511 - X2X.



EN511
X2X



EN388
2242X

PERSONAL PROTECTIVE EQUIPMENT (PPE)

SOLIDUR

SAFETY SHOES, LOW MODEL

OMEGA

Leather upper, nubuck and cordura, 3D Mesh lining, PU sole, composite toe cap and sole.

ISO 20345:2011 - S3 - SRC - HI - CI.



SOLIDUR

SAFETY SHOES, HIGH MODEL

ALPHA

Leather upper, nubuck and cordura, 3D Mesh lining, PU sole, composite toe cap and sole.

ISO 20345:2011 - S3 - SRC - HI - CI.



	SIZE
9801041	41
9801042	42
9801043	43
9801044	44
9801045	45
9801046	46

	SIZE
9802041	41
9802042	42
9802043	43
9802044	44
9802045	45
9802046	46

SOLIDUR

SAFETY SHOES, HIGH MODEL

DOLMEN

High cut, leather upper, textile lining, PU sole, steel toe cap.

ISO 20345:2011 - S3 - SRA. Size 41.



UNIVERSAL

WORK OVERALL

- Double zipper.
- 65% polyester, 35% cotton.
- 2 chest pockets with zipper.
- 2 side pockets.
- 1 back pocket.
- 1 thigh pocket.



	SIZE
9800042	42
9800043	43
9800044	44
9800045	45
9800046	46

	SIZE
9807005	M
9807006	L
9807007	XL
9807008	XXL



WORKSHOP TOOLS

KS TOOLS

WORK PLATFORM

Foldable aluminum work platform with access from both sides.

- Very stable with non-slip surface.
- Tray dimensions: 1 m x 30 cm - Height 48 cm.
- Maximum load: 150 kg.

REF : 9208572
EAN : 3582321863740



KS TOOLS

WORKSHOP MAT

Workshop mat with foam insert for workshop use.

Length: 48 cm.
Width: 32 cm.
Thickness: 36 mm.

REF : 9201982
EAN : 4042146204269


UNIVERSAL

MECHANIC'S TROLLEY

2-in-1 mechanic's trolley converts to a stool in seconds.

- Heavy duty square steel tube mounted with 6 swivel nylon castors Ø 50 mm for good mobility.
- Capacity up to 140 kg.
- Dimensions fully extended: 102 x 44 cm.
- Seat height in seat configuration: 45 cm.

REF : 9208607
EAN : 4050444265042




UNIVERSAL

PROTECTION TILE

As a dimensionally stable and weather-resistant floor covering, the Terrasoft tile made of monograde rubber granulate (1-3.5 mm) is suitable for the installation of your robotic lawnmower.

The tiles are water-permeable and the drainage system under the plates prevents flooding.

Length: 50 cm.
Width: 50 cm.
Thickness: 25 mm.



	Colour
9200162	Clay
9200163 	Green
9200164	Anthracite

WORKSHOP EQUIPMENT

GEDORE
DES OUTILS POUR LA VIE



GEDORE

TOOL TROLLEY

Workshop tool trolley with 6 drawers.
With 4 wheels mounted on a metal frame and brake system.
Load capacity: 210 kg.
Dimensions: 910 x 628 x 418 mm.

REF : 9208350
EAN : 4036548870207




UNIVERSAL

WORKSHOP SUPPORT

- For attaching chainsaws and brush cutters.
- Attaches to a workbench

REF : 9206866
EAN : 3582329971850




UNIVERSAL

WORKSHOP SUPPORT

- Workshop support 2 in 1.
- Tiltable for brushcutters and bicycles.
 - Adjustable in height from 1 m to 1,5 m.

REF : 9202519
EAN : 3582321120218



SKANA

WORKSHOP PRESS

- Hydraulic workbench press.
- Capacity of 10 T.
 - Steel frame.
- Indispensable for a workshop for pressing bearings and bushings without effort.



REF : 9209394
EAN : 5420035802595

**UNIVERSAL****TIRE CHANGER**

Professional tire changer.

- For 4" to 16-1/2" rims, to be fixed on workshop floor.
- Weight: 27 kg.

REF : 9208342

EAN : 3582321363721

UNIVERSAL**VALVE EXTRACTOR**

Tubeless tire valve extractor

With tips for restoring the threads on the valves.

REF : 9207003

EAN : 3582329931229

**UNIVERSAL****TIRE GREASE**

Special vaseline to facilitate mounting and dismounting of tires and protects also the battery terminals from corrosion and oxidation.

Jar 900g.



REF : 8102561

EAN : 3490101844059

GEDORE**TIRE IRON LEVER 400 MM**

Superior quality in vanadium.

Length: 400 mm.

REF : 9207016

EAN : 3582329947299

**GEDORE****TIRE IRON LEVER 305 MM**

Superior quality in vanadium.

Length: 305 mm.

REF : 9207015

EAN : 3582329947282

**UNIVERSAL****VALVE EXTRACTOR**

Screwdriver for removing tire valves.

REF : 9208565

EAN : 4042146214015


**UNIVERSAL****ASSEMBLY TOOL**

Tool to facilitate the fitting of tubeless valves on the rims.

With plastic coated handle not to damage the rim, also has at its end a shell remover.

REF : 9208564

EAN : 4042146126134





X'OIL

TIRE-SEALANT

Tire sealant spray.
For microtractors, wheel barrows, trailers...
Content 300 ml.

REF : 8200973
EAN : 3582320312508



SKANA

TIRE REPAIR KIT

Repair kit for inner tubes including:
- 2 patches with a diameter of 20 mm.
- 5 patches of 45 x 25 mm.
Supplied with glue and sandpaper.

REF : 9203220
EAN : 3582324000272



FLEXBIMEC

PNEUMATIC HOSE REEL

Reel for pneumatic hose.
Articulated wall attachment.
Length hose : 15 m.
Fitting: M 1/4" BSP.
Max pressure : 30 bar.

REF : 9206634
EAN : 3582325100049



SKANA

TUBELESS TIRE REPAIR KIT

Complete repair kit for tubeless tires.
Content:
- a plug gun,
- a plug insert guide,
- 15 repair plugs.
Repair the leak without
using chemicals.
Delivered in a box.

REF : 9216935
EAN : 3582321748030



UNIVERSAL

TIRE PRESSURE GAUGE

With pressure gauge for all tires.

REF : 9201875
EAN : 3582329951470



UNIVERSAL

AIR GUN SHORT MODEL

Air gun.
Short model.

REF : 9201874
EAN : 3582329975162



UNIVERSAL

AIR GUN LONG MODEL

Air gun.
Long model.

REF : 9201876
EAN : 3582321363103



SKANA

TUBELESS TIRE REPAIR KIT

Complete professional repair kit.
For repairing tubeless tires.
Contains perforation needle,
glue and repair wicks.

REF : 9216936
EAN : 3582324707294





OKO

OKO GREEN 1,25L

Bottle OKO™ GREEN™ tire sealant 1,25 liter.

For off-road applications: mowers, ride-on mowers, small agricultural equipment. Supplied with valve removal tools and integrated filling hose.

REF : 9100993
EAN : 5034793700002



OKO

OKO BLUE 1,25L

VEHICLES ROAD USE

With valve removal tool and integrated filling hose.

For application on light vehicles and 4x4s on the road and formulated for the speeds encountered on the road.

Not suitable for low-profile tires, tires with speed index V or higher and aluminum rims.

REF : 9100992
EAN : 5034793420009



OKO

OKO PINK 1,25L

QUADS & ATVs

With valve removal tool and integrated filling hose.

For on and off-road application: specific for all-terrain vehicles, leisure vehicles, ATVs, Quads.

Seals holes up to 7 mm in diameter.

REF : 9100991
EAN : 5034793410000



OKO

OKO GREEN 5L

Barrel OKO™ GREEN™ tire sealant 5 liter. For off-road applications: mowers, ride-on mowers, small agricultural equipment, trailers, wheelbarrows, golf carts, forklifts. Can also be used on tubeless tires. Barrel 5 liters.

REF : 9100998
EAN : 5034793001833



OKO

SMALL PUMP TIRE SEALANT

Plastic pump for the OKO™ 5 liter tire sealant barrel.

Comes with four adapters.

Suitable for Schrader and Presta valves. Supplied with valve core removal tool.

REF : 9100999
EAN : 5034793800184



OKO

OKO GREEN 25L

Barrel containing 25 L tire sealant OKO™ GREEN™.

REF : 9100994
EAN : 5034793770005



OKO

PUMP BARREL TIRE SEALANT

Metal pump for the OKO™ 25 liter tire sealant barrel.

With adjustable flow rate at 50, 100, 150, 200 or 250 ml per action on the pump and anti-drip valve at the hose end.

REF : 9100997
EAN : 3582321743516





BIKE-LIFT

WORKSHOP BENCH 500 KG

Professional lifting table for ride-on mowers and quads.

- The Frog 500 is a table for 4-wheeled vehicles such as ride-on mowers, quads, and snowmobiles.
- It is equipped with two tilting platforms, 100 cm at the front and 155 cm at the rear.
- With the Frog 500, you can work quickly and easily underneath the vehicle.
- It is equipped with:
 - 4 wheel chocks.
 - A double frame.
 - An electro-hydraulic pump with foot control.
- Maximum load: 500 kg.
- Powered by an electro-hydraulic pump, with 3 safety positions.
- Length: 203 cm.
- Width: 130 cm.
- Minimum height: 19 cm.
- Maximum height: 100 to 155 cm.
- Dimensions: 210 x 130 x 19 cm.
- Net weight: 285 kg.

REF : 9209501
EAN : 3582329970112



BIKE-LIFT

WORKSHOP BENCH 750 KG

Professional lifting table for ride-on mowers and lawn mowers.

- This table was developed for lifting ride-on mowers; it can also be used for many other applications, both industrial and residential.
- It features a 100 cm wide table with a capacity of 750 kg.
- It comes with a double set of fall protections and has 10 safety positions, as required by European legislation for machinery.
- The electro-hydraulic version features a pump built into the table, controlled by a push button with an emergency stop switch.
- Maximum load: 750 kg.
- Length: 215 cm.
- Width: 100 cm.
- Minimum height: 19 cm.
- Maximum height: 120 cm.
- Dimensions: 220 x 100 x 19 cm.
- Net weight: 300 kg.
- Supplied with a set of ramps.



REF : 9209502

EAN : 3582329975216




BIKE-LIFT

WORKSHOP BENCH 1000 KG

Wide professional workbench, designed for the maintenance and repair of garden machinery.

- Powered by a 230 V 50 Hz electrohydraulic pump.
- Key features: a maximum load capacity of 1000 kg and a platform width of 120 cm.
- Platform lift with two powerful hydraulic cylinders.
- Equipped with 6 safety positions for safe working.
- Length: 215 cm.
- Width: 120 cm.
- Minimum height: 19 cm.
- Maximum height: 100 cm.
- Dimensions: 220 x 120 x 19 cm.
- Net weight: 300 kg.
- Supplied with ramps and safety bars.



REF : 9209505

EAN : 3582329989336

NEW !



OCEAN LAGOON

CLEANING FOUNTAIN 10L


OCEAN LAGOON biological regeneration cleaning fountain (made of medium-density polyethylene (MDPE)), cold-pressed, solvent-free, and portable.

- Supplied with a brush, 10 liters of cleaning solution "9202511," and a box of 6 microorganism tablets "9202512."
- Dimensions - with closed lid: 710 x 440 x 360 mm.
- with open lid: 1160 x 440 x 400 mm.

The open lids serve as a work surface during cleaning.

Load capacity: 10 kg (per lid).

- Handles for portable use.
- Pump flow rate: 600 l/h.
- Power: 8 W.
- Power supply: 220V - 120V.
- Empty weight: 9.8 kg.



REF : 9202510
EAN : 3582322216125



NEW !



UNIVERSAL

CLEANING AGENT

10 liter bottle of aqueous cleaning solution for OCEAN LAGOON 9202510 biological parts cleaner, non-toxic and non-flammable.

REF : 9202511
EAN : 3582322216132



NEW !



UNIVERSAL

TABLETS

Box of 6 micro-tablets for regenerating micro-organisms for the biological parts cleaner OCEAN LAGOON 9202510.

REF : 9202512
EAN : 3582322216149





SKANA

CLEANING FOUNTAIN 76L

- 76-liter tank capacity.
- Includes flame-extinguishing lid, small parts drawer, and hose for easy cleaning.
- Drain plug on the bottom of the tank.
- 220 V self-priming pump.
- Length: 76 cm.
- Width: 54 cm.
- Height: 88 cm.
- Weight: 26 kg.

REF : 9202600
EAN : 3582322018255



SKANA

CLEANING BRUSH

Cleaning brush for cleaning fountain.
Attaches directly to the tube of the cleaning fountain 9202521, 9202600.

REF : 9202521A
EAN : 3582329951869



X'OIL

DEGREASING PRODUCT

Degreasing product X'OIL, suitable for cleaning fountains.
Contents 25 L.

REF : 9202522
EAN : 3582329800112



CLEANING FOUNTAINS



OCEAN WAVE

CLEANING FOUNTAIN 60-80L

- Ideal for workshops with more than two people.
- The cleaning concept uses a cleaning solution heated to 38°C with microorganism tablets that regenerate the solution.
- Degreases heavily soiled mechanical parts: crankcase, dome housing, transmissions, gears, carburetors, bearings, EGR valves, etc.
- Medium-density polyethylene (MDPE) immersion bath with a polypropylene sock filter that guarantees the quality of the solution.
- Supplied with a cleaning brush.
- Very easy assembly and disassembly of the entire fountain without tools.
- Power supply: 220 V.

TECHNICAL SPECIFICATIONS

- Pump flow rate: 1140 liters/h.
 - Heating power: 1 kW.
 - Average power consumption: 160 W/h.
 - Tank capacity: 60 to 80 liters.
 - Cleaner dimensions: L 79,5 x W 60 x H 97,5 cm.
 - Inner tank dimensions: L 69 x W 43 x H 19 cm.
 - Empty weight: 22 kg.
 - Load capacity: 80 kg.
- Delivered without cleaning agent.



REF : 9202530
EAN : 3582329989114



GRAVITY X3

TABLETS

Box containing 4 regenerating-tablets (micro organisms), for biological cleaning fountain 9202530.

REF : 9202532
EAN : 3582329989138



UNIVERSAL

CLEANING AGENT

Biological waterbased cleaning agent for biological cleaning fountains 9202530 & 9202533, can of 20L.
Non-toxic - non-flammable.

REF : 9202531
EAN : 3582329989121





23 kg

40 L

SKANA

CLEANING FOUNTAIN 40L

- Ideal in a workshop for 1 to 2 people.
- Use with solvent-free solution with aqueous base, non-toxic, unlabeled, based on surfactants which heated to 38°C allows excellent cleaning efficiency to remove dirt.
- Degreases crankcases, bells, carbon, blades, carburetors, bearings, EGR valves...
- High density polyethylene (HDPE) soaking tank with polypropylene sock filter guaranteeing the quality of the solution.
- Supplied with cleaning brush.
- Very simple assembly and disassembly of the entire fountain without any tools.
- Ease of use close to the parts to be cleaned thanks to its mobility.
- Power supply: 220V.

TECHNICAL FEATURES

- Adjustable pump flow rate from 0 to 6l/min.
 - Heating power: 2 kW.
 - Average electricity consumption: 150 W/h.
 - Tank capacity: 40 liters.
 - Cleaner dimensions: L 82 x W 53 x H 105 cm.
 - Interior dimensions of the bin: L 55 x W 43 x H 15 cm.
 - Empty weight: 23 kg.
 - Load capacity: 30 kg.
- Delivered without cleaning product.

REF: 9202533
EAN: 3582321732695



L
int :
43 cm

W
int :
55 cm

H
int :
15 cm

UNIVERSAL

CLEANING AGENT

Biological waterbased cleaning agent for biological cleaning fountains 9202530 & 9202533, can of 20L.
Non-toxic - non-flammable.

REF: 9202531
EAN: 3582329989121



NEW !

SKANA

ULTRASONIC CLEANER 2L

Tank capacity: 2 liters.

- 220V power supply.
- Ultrasonic power 60 W.
- Heating power 100 W.
- Timer 1 - 30 minutes.
- Tank dimensions L: 150 mm, w: 140 mm, H: 100 mm.



REF : 9206051

EAN : 3582322217856



SKANA

ULTRASONIC CLEANER 6L

Tank capacity: 6 liters.

- 220V power supply.
- Ultrasonic power 180 W.
- Heating power 300 W.
- Timer 1 - 30 minutes.
- Tank dimensions L: 300 mm, w: 155 mm, H: 150 mm.

REF : 9206151

EAN : 3582322208335



SKANA

ULTRASONIC CLEANER LIQUID

Special cleaning product for ultrasonic cleaners.

- Very concentrated, dosage of 1 to 5%.
- 1 liter bottle.

REF : 9202596

EAN : 3582321250069



STOCK CLEARANCE

SKANA

ULTRASONIC CLEANER 20L

Tank capacity: 20 liters.

- 220V power supply.
- Ultrasonic power 400 W.
- Heating power 500 W.
- Timer 1 - 99 minutes.
- Tank dimensions L: 500 mm, w: 292 mm, H: 150 mm.

REF : 9206400

EAN : 3582329992022



UNIVERSAL

ABSORBENT CART

All-in-one absorbent mobile storage and recycling cart.

- Instant absorption, leaves no greasy film.
- Stores, distributes and recycles its absorbent using a sieve.
- Economical, divides absorbent and waste consumption by 8 thanks to its design.
- It allows professionals to respond effectively and economically to spillage problems in workshops.
- Supplied with broom and collection shovel.
- Used in combination with our absorbent 9202501.

REF : 9202500

EAN : 3582321852607



UNIVERSAL

BIODEGRADABLE
ABSORBENT MATERIAL

Absorbent with natural formula based on lignocellulosic fibers that immediately encapsulates liquids on contact.

Used with our sieving trolley 9202500.
Reusable and biodegradable product.
30 liter bag.

REF : 9202501

EAN : 3582321852614



THE HELPING HAND

Helping Hand
Environmental
a division of The Helping Hand Company

LITTERPICKER 85 CM

LITTERPICKER PRO waste grabber.
With movable lower jaw and bi-material handle.
Handle with reflective strips.
Length: 85 cm.

REF : 9506506

EAN : 3582321748085



UNIVERSAL

SPOOL PAPER HAND
TOWELS

Hand towels.
Contains 1000 sheets of 26 x 30 cm.

REF : 9206920

EAN : 3582324600014



KS TOOLS

WALL MOUNT FOR PAPER ROLL

Wall support for paper roll.
Roll width from 220 to 280 mm max.
With paper cutting system.
Steel tubes.
Dimensions in mm:
L: 350 x H: 265 x D: 230

REF : 9208568

EAN : 4042146638798



THE HELPING HAND

LITTERPICKER STRAIGHT
MODEL 87 CM

RANGER MAX waste grabber straight.
With rubber jaw and "chopstick" type handle.
Length: 87 cm.

REF : 9506513

EAN : 3582321748054



THE HELPING HAND

LITTERPICKER 99 CM

STREETMASTER PRO waste grabber.
With reinforced rotating head and bi-material handle.
Handle with reflective strips.
Length: 99 cm.

REF : 9506510

EAN : 3582321748153



TORK

SPOOL PAPER HAND
TOWELS

Spool white hand towels, for central dispenser.

REF : 9206950

EAN : 8710499511247



PROMOTION

SAW CHAIN MAINTENANCE

STOCK CLEARANCE

tecomec



TECOMEC

PROFESSIONAL RIVET SPINNER

- Designed for the production of all types of chains to be manufactured and intended for intensive use.
- Precise, fast and efficient riveting using a foot pedal.
- Metal structure on adjustable feet to place on the ground.
- Delivered with 2 bolts:
 - For .325" - 3/8" - .404" chains - HARVESTER.
 - For 1/4" - 3/8" LP chains.
- Single-phase motor 230V - 300W - 1420 rpm.

REF : 9309718
EAN : 3582321744407



tecomec

TECOMEC

VICE CHAIN SHARPENER

Specific vise for sharpening hedge trimmer blades.
To be mounted on TECOMEC chain sharpeners types Jolly and Compact.

REF : 9309334
EAN : 3582321834849



TECOMEC

SAW CHAIN BREAKER

For chainsaw chains.
Delivered with punch and vice.
Attaches to a workbench.

REF : 9307821
EAN : 3582323312864



TECOMEC

SAW CHAIN RIVET SPINNER

For saw chain.
Complete with snap.
Attaches to a workbench.

REF : 9307822
EAN : 3582323312901



OZAKI

OZAKI

RIVET BREAKER / RIVET SPINNER

Universal 2 in 1.
For all saw chain types.
Supplied with punches, bolts and anvil.
Attaches to a workbench.

REF : 9308000
EAN : 3582329989459



OZAKI

SAW CHAIN ACCESSORIES

WORKBENCH STICKER CUSTOM-MADE SAW CHAIN

OZAKI® workbench sticker precut saw chain scale 1/1.

FREE

REF : SHDEC
EAN : 3582321725741

**TO BE MENTIONED
WITH YOUR ORDER**

OZAKI

UNIVERSAL

SAW CHAIN SHARPENER SUPPORT

Workshop support for all types of electric chainsaw chain sharpeners.

- Supplied with shelf and storage hooks for grinding stones, chains, tools, etc.
- Delivered without sharpener or grinding stones.
- Dimensions:
 - Base 80 x 35 cm.
 - Height 107 cm.

REF : 9309720
EAN : 3582321845999

OZAKI

PRO SAW CHAIN SHARPENER

230V - 230W 2800 rpm.

- Suitable for all types of saw chains.
- Manual tightening vice, illuminated sharpening area.
- Delivered with 2 grinding stones: 3,2 and 4,7 mm.

REF : XLP950
EAN : 3582321360478

CE

tecomec

TECOMEC

PROFESSIONAL 1/4" MINI SAW CHAIN SHARPENER

TECOMEC MIDI-JOLLY-N PRUNER (MJ50-60) 230V

Professional model designed specifically for 1/4" mini chains used on pruners.

REF : 9309340
EAN : 3582322209004

CE

+

Limited stock



PROMOTION

BATTERY MAINTENANCE



SCHUMACHER



POWER INVERTER 150-300W

This universal inverter is designed to handle a modified sine wave at a DC input voltage of 10V to 15V.

Protection features:

- overvoltage protection above 15V,
- undervoltage protection below 10V,
- overload protection, thermal protection.

The inverter is capable of delivering an AC output voltage of 230V at 50Hz-60Hz and a continuous power of 150W, with a peak power of 300 watts.

What's more, the converter is equipped with an intelligent cooling fan.

REF : 9201015

EAN : 8029388700014



SCHUMACHER

POWER INVERTER 300-600W

This universal inverter is designed to handle a modified sine wave at a DC input voltage of 10V to 15V.

Protection features:

- overvoltage protection above 15V,
- undervoltage protection below 10V,
- overload protection, thermal protection.

The inverter is capable of delivering an AC output voltage of 230V at 50Hz-60Hz and a continuous power of 300W, with a peak power of 600 watts.

What's more, the converter is equipped with an intelligent cooling fan.

REF : 9201030

EAN : 8029388011011



SCHUMACHER

POWER INVERTER 600-1200W

This universal inverter is designed to handle a modified sine wave at a DC input voltage of 10V to 15V.

Protection features:

- overvoltage protection above 15V,
- undervoltage protection below 10V,
- overload protection, thermal protection.

The inverter is capable of delivering an AC output voltage of 230V at 50Hz-60Hz and a continuous power of 600W, with a peak power of 1200 watts.

What's more, the converter is equipped with an intelligent cooling fan.

REF : 9201060

EAN : 8029388024028



SCHUMACHER

POWER INVERTER 1000-2000W

This universal inverter is designed to handle a modified sine wave at a DC input voltage of 10V to 15V.

Protection features:

- overvoltage protection above 15V,
- undervoltage protection below 10V,
- overload protection, thermal protection.

The inverter is capable of delivering an AC output voltage of 230V at 50Hz-60Hz and a continuous power of 1000W, with a peak power of 2000 watts.

What's more, the converter is equipped with an intelligent cooling fan.

REF : 9201100

EAN : 8029388033037



SCHUMACHER

MULTIFUNCTIONAL TESTER

3-IN-1:

- Tire pressure (PSI-Bar-KG/cm3).
- Battery (for 12v lead/acid batteries only).
- Alternator test.
- With LED flashlight.

Power supply: 2 AAA 1.5V batteries.

(Batteries not included)

REF : 9201011

EAN : 5425038531930



UNIVERSAL

BATTERY POLE CLEANER

Universal cleaning tool for battery terminals and terminals.

REF : 2103182
EAN : 3582329982399



UNIVERSAL

BATTERY ACID RESISTANT GLOVES

Pair of protection gloves against battery acid. For handling of chemicals or petrol liquids.

Size 10/L.
Standards CE EN420,
EN388 - 4121, EN374-1/2/3 AKL.

REF : 9808204
EAN : 358232976596



KSTOOLS

SUCTION PEAR

Made from special rubber.
Resistant to oil, petroleum, battery acid.
Ideal for adding liquid or sucking up excess liquid.

REF : 9208566
EAN : 4042146307793




Optimate®

OPTIMATE

BATTERY TESTER

- Tests battery condition before starting.
- Indicates the voltage when starting the engine.
- Checks the alternator charging voltage as well as its regulation, with the engine running.

REF : XTETS120N
EAN : 5425006141857



UNIVERSAL

BATTERY ACID

Battery acid 1 liter bottle
(to be ordered per 4).

REF : 2109000
EAN : 3582320005080



SKANA

ACIDIMETER

With indicator float.
Allows you to test the battery cells by checking the density.

REF : 9207012
EAN : 3582321480930



UNIVERSAL

ACIDIMETER

Allows you to test the battery cells by checking the density.

REF : 9207040
EAN : 7610363000208




UNIVERSAL

BATTERY ANALYZER

- Analyzer / tester for 6 & 12 volt batteries greater than 10 A.
- Allows you to quickly detect the status of your battery as well as circuits and charging elements.
 - Has a built-in resistor to test the battery during start-up, like on a vehicle.

REF : 9206869
EAN : 3582323310419



CHARGERS & BOOSTERS

LEMANIA

BATTERY BOOSTER 12V "X12 LITHIUM POWER PACK"

- For starting engines up to 2.5 L (diesel) / 6.0 L (petrol).
- Powerful LiFePO4 battery (51.2Wh) - 2200 PA.
- LED charge level indicator.
- LED flashlight with SOS function.
- Integrated handle for optimal grip.
- 12V output to use the booster as a memory saver or 12V power supply.
- 2 USB ports for use as an external battery.
- Protection against reverse polarity, short circuits and overload.
- Supplied with nylon bag, 220 V wall charger, 12 V DC car charger and USB cable.



REF : 9201012
EAN : 358232206737



LEMANIA

BATTERY BOOSTER 12V/750CA

Booster BOOST P1, 12V/750CA for passenger cars and trucks. Automatically recharges between uses. Starting amperage: 750A. Peak amperage: 2000A. Capacity 18 Ah. Length of starting cables: 87cm. Weight 9,5 kg.

REF : 9207123
EAN : 4050444202931



AXCELL



BATTERY CHARGER

AXCELL AX2 Smart Charger and maintainer. For 6V/12V lead-acid and 12V lithium batteries. Charging current 2A. For batteries from 2 Ah to 40 Ah.



REF : 2109900
EAN : 358232204771

2-40 Ah





Optimate®

OPTIMATE

10W SOLAR PANEL

- Solar charger for 12V STD, AGM and GEL batteries from 2 to 240Ah and 12,8V/13,2V LFP lithium batteries.
- Recovers batteries from 4V.
- Selects pulse or continuous charging mode depending on the intensity of the sun's rays.
- Intelligent maintenance with battery status displayed every 3 seconds.
- OptiMate charge controller. Amperage/load: 0,83 A from 10W panel (maximum average current), 3-5 A pulses.
- External dimension: Width 24,9 cm, Height 37,6 cm, Thickness 2,6 cm.

REF : XTEOMSOLAR10DUO
EAN : 5425006140829



OPTIMATE

40W SOLAR PANEL

- Solar charger for 12V STD, AGM and GEL batteries from 2 to 240Ah and 12,8V/13,2V LFP lithium batteries.
- Recovers batteries from 4V. Selects pulse or continuous charging mode depending on the intensity of the sun's rays.
- 40 Watt solar panel (max.)
- Intelligent maintenance with battery status displayed every 3 seconds.
- External dimension: Width 42 cm, Height 68,6 cm, Thickness 3,3 cm.

REF : XTEOMSOLAR40DUO
EAN : 5425006144834





OPTIMATE

OPTIMATE 1 VOLTMATIC BATTERY CHARGER

- For 6V or 12V AGM, GEL and STD batteries from 2 to 28Ah. Current 0.6A (constant current).
- 4-step automatic. The VoltMatic's microprocessor automatically selects the correct charging voltage. Indoor use (minimum -20°C).
- Dustproof plug-in housing, with a 370 cm charging cable terminating in an SAE connector.
- Secure for vehicle electronics and for long-term battery maintenance.
- Automatic shutdown in the event of a short circuit or if the battery is disconnected.
- Weather-resistant battery cable and battery clips included.



REF : XTEOM1VOLTMATIC
EAN : 5425006146494



OPTIMATE

OPTIMATE 3 BATTERY CHARGER

- Charging amps: 800 mA.
- For 12 V batteries from 3 to 50 Ah STD, AGM and GEL.
- With desulfation function.
- Optimizes battery power and longevity, tests the battery every hour.
- Mosfet switch-mode technology, lighter and more compact.
- Splash waterproof: IP52.


REF : XTEOM3
EAN : 5425006145305



OPTIMATE

OPTIMATE 2DUO BATTERY CHARGER

- For AGM, GEL & STD 12V batteries from 6 to 96Ah and Lithium (LiFePO4) 12.8/13.2V batteries from 2 to 24Ah. Load 2A (constant current).
- Fully automatic in 5 steps. Automatically adapts to Pb or LFP batteries. Long-term safe maintenance 24/7.
- Indoor or outdoor use (lowest temperatures: -40°C).
- Weatherproof housing with wall mount, mains power cable and 180cm charging cable.
- Without risk of overload and secure for vehicle electronics and long-term battery maintenance.
- Automatic shutdown in the event of a short circuit or if the battery is disconnected.



REF : XTEOM2DUO
EAN : 5425006142052



OPTIMATE

OPTIMATE 6 SILVER BATTERY CHARGER

- For standard acid, AGM and 12V GEL batteries from 3 to 144Ah.
- Amperage 6A (Ampmatic current).
- Nominal load 12V range: 0.5V to 14.4V.
- Automatic in 9 steps.
- Low voltage start from 0.5V + recovery by desulphation in 2 stages.
- Dust-resistant housing, with mains power cable and 370 cm charging cable.
- Without risk of overload and secure for vehicle electronics and long-term battery maintenance.
- Automatic shutdown in the event of a short circuit or if the battery is disconnected.



REF : XTEOM6SILVER
EAN : 5425006146623



PROMOTION



LIGHTING

ANSMANN

COMPACT LED LAMP

Compact and rechargeable LED work light
Mini-booster 500R

- Max power: 500 Lumen.
- Battery life up to 3 hours.
- 3 different lighting modes.
- Power supply from 3,7 V, 600 mAh 2,22 Wh LiPo battery.
- Charging option via USB type C socket.
- Charging time approximately 2,5 hours.
- Charge control display via LED.
- Attachment options belt clip on the back and holding magnet on the bottom and back of the clip.
- Dimensions 89 x 23 x 17,5 mm.
- Weight 60g.

REF: 9200504
EAN: 4013674189755



LED



ANSMANN

ANSMANN

WALKING LIGHT / LED LAMP

PLR180R SMD LED work light.

- Max power 200 Lumen.
- The wide lighting angle distributes the light evenly with an LED temperature of approximately 5600K.
- Robust and shock resistant.
- SMD LEDs require less than 1 second of start-up time to deliver full power.
- Magnetic rear handle
- Battery powered.

REF: 9200359
EAN: 4013674167449



LED



ANSMANN

30W LED WORK LAMP

FL2500R 30W 360° LED work spotlight.

- Max power 2400 Lumen.
- COB LED light source and power with an LED temperature of approximately 6000K.
- Thanks to the wide illumination angle, the bright light is distributed evenly, so that small details as well as large areas are illuminated evenly.
- Battery life of up to 3 hours in 100% mode, a lighting duration of 7 hours in 50% mode and 13 hours in 25% mode.
- Powered by 6600 mAh Li-Ion battery rechargeable via USB.
- Possibility of using it as a battery for recharging Smartphones and other...
- Robust and shock resistant.
- Protection class IP64.
- Dimensions 129 x 177 x 44 mm.

REF: 9200394
EAN: 4013674171347

LED

ANSMANN


360° LED WALKING LIGHT

IL700R LED work light.

- Max power: 700 Lumen.
- The wide lighting angle distributes the light evenly.
- An additional LED on the lamp head provides powerful and precise light.
- Robust and shock resistant.
- 360° rotating magnetic foot, suspension hook and magnetic rear face.
- Powered by 3,7V Li-Ion battery rechargeable via USB-C.

REF: 9200422
EAN: 4013674178971

LED



ANSMANN
LED WORK LAMP ON TRIPOD

LED work lights on tripod WL5000R.

- Max power 5000 Lumen.
- Light source and power with 2 30 W SMD LED modules, adjustable and tiltable.
- 3 brightness levels (10%, 30%, 100%).
- 2 light colors: 4,000K (cold white), 6,500K (daylight white), selectable via an additional switch.
- Power supply by integrated Li-Ion battery (7.3 V, 4000 mAh, 29.6 Wh).
- Usable via mains or battery.
- Robust, shock and splash resistant.
- Protection class IPX4.

REF: 9200503

EAN: 4013674189748

LED

ANSMANN
HEAD TORCH 185 LUMEN

HD200BS LED handheld portable light and head torch.

- Max power: 185 Lumen.
- ABS housing.
- Universal headband + mounting hook.
- 4 lighting functions: 30% / 100% / COB LED / SPOTLIGHT.
- Tilt angle 45°.
- Works with 3 LR03 batteries.
- Protection class IP44 splashes.

Weight: 72g.

LED

REF: 9201893

EAN: 4013674127542


ANSMANN
HEAD TORCH 230 LUMEN

HD230BS LED handheld portable light and head torch.

Thanks to the integrated sensor, both hands remain free and the light is always in exactly the right place!

- Start/stop using gesture control.
- Max power: 230 Lumens.
- ABS housing, great robustness.
- Universal headband
- 3 lighting functions: 30% / 100% / red COB LED.
- Tilt angle 45°.
- Works with 3 LR03 batteries.
- Protection class IPX4 Waterproof.

Weight: 91g.

LED

REF: 9200386

EAN: 4013674169566


ANSMANN
HEAD TORCH 450 LUMEN

Portable handheld light and LED head torch.

- Quality, multifunctional headlamp, made of aluminum and robust plastic.
- Focusable for near and far lighting.
- LED technology with 5W LED.
- Tilt angle of the lamp head individually adjustable to approx. 45°.
- The flexible and adjustable rubberized headband provides good comfort.
- Protection class IP65 (protection against dust and splashing water).
- Numerous lighting functions: 100% | 50% | continuous variation, gesture sensor.
- Brightness / autonomy: max. 450lm - maximum autonomy at lowest lighting level: 12h.
- Lighting range: max. 92m.
- Weight: 131 g.

REF: 9201885

EAN: 4013674125425

LED

ANSMANN
HEAD TORCH 280 LUMEN

HD280RS LED handheld portable light and head torch.

Thanks to the integrated sensor, both hands remain free!

- Start/stop using gesture control.
- Max power: 280 Lumen.
- ABS housing, great robustness.
- Universal non-slip headband.
- 2 lighting functions: 30% / 100%.
- Tilt angle 45°.
- Works with 3.7V 1500 mAh Li-Ion battery.
- Protection class IP65.

Weight: 110g.

LED

REF: 9201894

EAN: 4013674161560

LIGHTS & ACCESSORIES



SCHUMACHER®

PORTABLE LED WORK LAMP

- Aluminum body with "soft-touch" rubberized coating and magnetic base, 360° swivel and tilt, swivel hook.
- Power: 600 Lumen (high intensity) / 300 Lumen (low intensity).
- 3.7V 2600 mAh Li-ion rechargeable battery.
- Autonomy: 180 minutes at low intensity - 90 minutes at high intensity.
- Micro-USB cable included.

REF : 9200176
EAN : 0026666140867

LED



SCHUMACHER®

360° LED WALKING LIGHT

- CETEOR SLIM 360° LED magnetic, 'Soft Touch' rubberized shell. Ball joint allowing 360° rotation and tilt. Magnetic base and retractable hook.
- Rotary power selector from 0 to 600 Lumens x 120 minutes (use time at full power).
- Rechargeable 2600 mAh lithium battery power supply.
- Micro USB charging cable included.



REF : 9200184
EAN : 5425038530650

LED



SCHUMACHER®

HAND LIGHT / FLEXIBLE LED LAMP

- Shock and water resistant work lamp. High-quality Cree® XPG LED. Magnetic base.
- Power: 125 Lumen (at high intensity) / 250 Lumen (at low intensity).
- Autonomy: 540 minutes at low intensity, 270 minutes at high intensity.
- Micro USB charging cable (braided) included.

REF : 9200177
EAN : 0026666148764

LED



SCHUMACHER®

12V CIGARETTE LIGHTER --> USB

USB plug to 12V cigarette lighter.

REF : 9200178
EAN : 3582321863610




12V

SCHUMACHER®

220V PLUG --> USB

220-240V AC wall charger with USB output (without Micro-USB cable).

REF : 9200179
EAN : 3582321853529



220V

PROMOTION

TOOLS



UNIVERSAL

TIE-DOWN STRAP 500 KG

Ratchet strap with maximum capacity of 500 kg, including:
1 strap, 1 ratchet, 2 metal J-hooks.
Dimensions: 25 mm x 5 m.

REF : 9108065
EAN : 3582321361000



UNIVERSAL

TIE-DOWN STRAP 5 T

Ratchet strap with maximum capacity of 5 tons, including:
1 strap in 2 parts, 1 ratchet, 2 metal J-hooks.
Dimensions: 25 mm x 5 m.

REF : 9108066
EAN : 3582321361017



UNIVERSAL

AUTOMATIC TIE-DOWN STRAP WITH S-SHAPED HOOK



	DIMENSIONS	CAPACITY
9105701	1,8 M X 25 MM	250 KG
9105691	3 M X 52 MM	500 KG

UNIVERSAL

AUTOMATIC TIE-DOWN STRAP WITH J-SHAPED HOOK



	DIMENSIONS	CAPACITY
9100570	1,8 M X 25 MM	250 KG
9100573	3 M X 25 MM	250 KG
9100569 	3 M X 52 MM	500 KG

WORKSHOP EQUIPMENT

KSTOOLS

SPHERICAL

Oblique plastic magnetic bowl
Ø 150 mm.
Places on vertical walls.
Recovers and prevents loss of screws during workshop dismantling operations.
Weight: 750g.



REF : 9208567
EAN : 4042146163061



UNIVERSAL

ROUND FLAT

Round magnetic metal tray.
Prevents loss of nuts and bolts or other metal objects during disassembly in the workshop.
Diameter: 150 mm.



REF : 9201978
EAN : 3582321747729

UNIVERSAL

SMALL

Magnetic metal tray.
Divided in two zones.
Prevents loss of nuts and bolts or other metal objects during disassembly in the workshop.
Dimensions: 240 x 140 mm.



REF : 9201979
EAN : 3582321747736

UNIVERSAL

MEDIUM

Magnetic metal tray.
Divided in three zones.
Prevents loss of nuts and bolts or other metal objects during disassembly in the workshop.
Dimensions: 360 x 160 mm.



REF : 9201980
EAN : 3582321747743

UNIVERSAL

LARGE

Magnetic tray metal large size.
Prevents loss of nuts and bolts or other metal objects during disassembly in the workshop.
Dimensions: 294 x 273 mm.



REF : 9201981
EAN : 3582321747750

UNIVERSAL

SPARK PLUG DISPLAY

In metal.
Suitable for 204 spark plugs of 12 different models.
Sold without spark plugs.



REF : 9200995
EAN : 3582321748993

UNIVERSAL

THREAD REPAIR KIT

For spark plug thread.
Allows you to repair damaged or deteriorated threads on the cylinder head. Delivered with tools required for installation and M14 x 1.25 inserts of different lengths.



REF : 9216938
EAN : 3582323310075

UNIVERSAL

ASSORTMENT NUTS

Assortment blind rivet nuts.
With pliers and chucks for dimensions M3, M4, M5 and M6.
Works like traditional rivet pliers.
Content : 50 rivet nuts.



REF : 9208606
EAN : 4050444065376

UNIVERSAL
NYLON PISTON BLOCK PLUG

Piston block plug in nylon for both 2- and 4-stroke engines.
For blocking the piston.
Reversible model Ø 10 & 14 mm.



REF : 9207005
EAN : 3582329943536

UNIVERSAL
THREAD REPAIR TOOL

Set of two tools to revive the threads of spark plugs.
For 2 and 4 stroke engines.
Sizes M10 (1.00), M12 (1.25), M14 (1.50) and M18 (1.50).



REF : 9206881
EAN : 3582321851655

UNIVERSAL
DIGITAL REV COUNTER

With digital display.
• For 2 and 4 stroke engines, from 1 to 4 cylinders.
• Reading from 100 to 19,900 rpm
• Self-powered, shuts off automatically.



REF : 9204694
EAN : 3582329000444

UNIVERSAL
IGNITION TESTER

For all gasoline engines, agricultural machinery, and automobiles.
Easy to use with direct identification by colored LEDs.
Clips onto the spark plug wire.
Supplied with one AAA battery.



REF : 9202562
EAN : 3582321994567


UNIVERSAL
METAL PISTON BLOCK PLUG

Universal piston block plug in metal for both 2- and 4-stroke engines.
For blocking the piston.
Reversible model Ø 10 & 14 mm.



REF : 9207008
EAN : 3582321733432

UNIVERSAL
THREAD REPAIR TOOL

Tool for reviving spark plug threads in cylinder heads.
In metal for Ø: M10 & M14.



REF : 9206884
EAN : 3582324708352

UNIVERSAL
TACHOMETER

TREYSIT vibration sirometer.
• Direct reading on the dial mounted on the running engine by unwinding the steel wire.
• Highly accurate and easy-to-use device, measuring from 800 to 50,000 rpm.
• Suitable for all engines.



REF : 9208602
EAN : 4023055104413

UNIVERSAL
IGNITION TESTER

Connects directly to the spark plug cap instead of the spark plug.
Checks the spark power at the ignition coil output.



REF : 9206918
EAN : 3582321836263

BRIGGS & STRATTON
IGNITION TESTER

Original : 19051, 19368, 84003327
Ignition tester BRIGGS & STRATTON.



REF : 9201010
EAN : 3582321778563


UNIVERSAL
IGNITION TESTER

Universal spark plug test.
Allows quick control of ignition power.
Connection to ground with clamp.



REF : 9206906
EAN : 3582323309949

WORKSHOP EQUIPMENT

UNIVERSAL

SPARK PLUG WRENCH WITH FLAT SCREWDRIVER 11 X 16 MM

With flat screwdriver.
Dimensions (mm) : 11 x 16 mm.

REF : 9301015
EAN : 3582323319535



UNIVERSAL

SPARK PLUG WRENCH WITH FLAT SCREWDRIVER 13 X 16 MM

With flat screwdriver.
Dimensions (mm): 13 x 16 mm.

REF : 9300990
EAN : 3582323319528



UNIVERSAL

SPARK PLUG WRENCH WITH FLAT SCREWDRIVER 13 X 19 MM

With flat screwdriver.
Dimensions (mm) : 13 X 19 mm.

REF : 9300989
EAN : 3582323319481



UNIVERSAL

SPARK PLUG WRENCH WITH FLAT SCREWDRIVER 17 X 21 MM

With flat screwdriver.
Dimensions (mm) : 17 x 21 mm.

REF : 9300992
EAN : 3582323319498



BRIGGS & STRATTON

SPARK PLUG + OIL DRAIN WRENCH

With oil drain key, square male 9,5 mm.
Dimensions: 19 x 21 mm.

REF : 9300531
EAN : 3582323319597



UNIVERSAL

SPARK PLUG WRENCH TORX

19 MM

STIHL type with 27 Torx bit. Dimension: 19mm

REF : 9302498
EAN : 3582323319634



STIHL

SPARK PLUG WRENCH TORX

16 X 19 MM

Replaces original : 4119 890 3400
With 27 Torx bit.

REF : 9301171
EAN : 3582322204290



UNIVERSAL

SPARK PLUG WRENCH

16 X 19 MM

With long reversible tube.
Dimensions (mm) :
16 x 19 mm. L : 110 mm.

REF : 9302499
EAN : 3582323319894



UNIVERSAL

SPARK PLUG WRENCH

19 X 21 MM

With long reversible tube.
Dimensions (mm) : 19 x 21 mm. L : 150 mm.

REF : 9302501
EAN : 3582323322528



ARNOLD

SPARK PLUG WRENCH 4IN1

Replaces original : 6111-ZK-0001
ARNOLD modular 4-in-1 tube spark plug wrench.

With hexagons of: 16, 18, 19, 21 mm.

REF : 9302492
EAN : 3582322213506



BRIGGS & STRATTON

LONG SPARK PLUG WRENCH

Replaces original : 19374S, 19374, 690966, 19574, 690966, 19576
With extra long 203 mm tube.
For OHV latest generation engines.
Dimensions: 16 x 21 mm.

REF : 9302493
EAN : 3582321843933



UNIVERSAL**GASKET SCRAPER**

With forged blade.
Blade width 25,4 mm.
Total length 240 mm.

REF : 9206921
EAN : 3582328301863

**UNIVERSAL****MAGNET**

Telescopic.
Up to 71 cm in length.

REF : 9206959
EAN : 3582328301887

**UNIVERSAL****EXTRACTOR**


Tool for extracting Spi seals, retaining rings, etc.
Made from very robust special steel.

REF : 9206908
EAN : 3582323310013

**UNIVERSAL****FUEL FILTER RETRIEVING TOOL**

Recovery tool for plunger-type fuel filters inside tanks.

REF : 9204200
EAN : 3582321748887

**SKANA****SILENT BLOCKS TOOL**

Set of two wrenches for mounting and removing silent blocks on HUSQVARANA machines.
For chainsaws models 68, 136, 137, 141, 142, 262, 268 and others.

REF : 9206916
EAN : 3582321851631

**SKANA****PISTON RING COMPRESSOR**

For pistons with Ø 45 to 89 mm.

REF : 9206902
EAN : 3582323309895

**GEDORE****PISTON RING COMPRESSOR**


For pistons with Ø 57 to 125 mm.

REF : 9208475
EAN : 3582329951920

**UNIVERSAL****CABLE END FORGER WORKSHOP EQUIPMENT**

Cable end shaping pliers, allows the user to bend the rigid cable end into a "Z" - shape.

REF : 9206882
EAN : 3582321732268

**GEDORE****SOCKET HOLDER**

Socket holder / Hex key holder male and female with magnet. Ø 1/4" (6,3 mm).

REF : 9208472
EAN : 3582329967013



GEDORE
DES OUTILS POUR LA VIE

GEDORE**MAGNETISER / DEMAGNETISER**

For screwdrivers, pliers, and other steel tools.

REF : 9208422
EAN : 3582321481104

**GEDORE**

GEDORE
DES OUTILS POUR LA VIE

CIRCLIPS PLIERS, EXTERNAL


External circlips pliers with straight nose.
Spout Ø: 0,9 mm.
Length: 146 mm.

REF : 9208436
EAN : 3582329971874

**GEDORE****CIRCLIPS PLIERS, INTERNAL**

Internal circlips pliers with straight nose.
Spout Ø: 0,9 mm.
Length: 141 mm.

REF : 9208438
EAN : 3582329970013

**GEDORE****CIRCLIPS PLIERS, EXTERNAL**

External circlips pliers with 90° bent nose.
Spout Ø: 0,9 mm.
Length: 130 mm.

REF : 9208437
EAN : 3582329971881

**GEDORE****CIRCLIPS PLIERS, INTERNAL**

Internal circlips pliers with 90° bent nose.
Spout Ø: 0,9 mm.
Length: 129 mm.

REF : 9208439
EAN : 3582329966948



WORKSHOP EQUIPMENT


TECOMEC

PISTON RING PLIERS



Piston ring collars and piston block set.
Ideal for reassembling 2-stroke engines.
Very practical and easy to use.

REF : 9207017
EAN : 3582329943543



SKANA

CYLINDER HONER

For honing a cylinder.
Suitable for diameter: 34 to 70 mm.

REF : 9206900
EAN : 3582323309871



SKANA

EXTRACTOR

Universal extractor for
flywheels and other parts.
Central screw M12 x 1.25.
Center distance 28 --> 80 mm.
Supplied with 2 M6 x 1.00 x 60 mm
bolts and 2 M8 x 1.25 x 60 mm bolts.




REF : 9208571
EAN : 3582321851648

SKANA

CARBURETOR TOOL SET

Sealing control box with
pressure gauge.
Supplied with adapters and hoses of
different diameters for testing diaphragm
carburetors.



REF : 9206929
EAN : 3582321841052

SKANA

ENGINE COMPRESSIONTESTER

Engine compressiontester for
2 and 4 stroke engines.
Direct reading from 0 to 21 Kg/cm².
For spark plug threads 14 & 18 mm.

REF : 9206889
EAN : 3582323309741



SKANA

VALVE HONE TOOL

Valve hone tool.
With suction cups Ø 24 & 27 mm.

REF : 9206891
EAN : 3582323309765



SKANA

FLYWHEEL PULLER

Universal flywheel puller.
Multiple sizes.
With US thread bolt set.

REF : 9206915
EAN : 3582323310006



SKANA

CRANKSHAFT STRAIGHTENER

Allows you to straighten a bent crankshaft.
Suitable for most engines.
Delivered with 2 sleeves for crankshafts of
Ø: 22.2 & 25,4 mm.

REF : 9206904
EAN : 3582323309918



TECOMEC

PRESSURE GAUGE

With pressure gauge.
For checking carburetors
and engine cylinders.

REF : 9206910
EAN : 3582321708683



SKANA**CLUTCH SPANNER WRENCH****2 HOOKS**

Spanner wrench with 2 hooks for disassembly of a chainsaw or brushcutter clutch.

**REF : 9207810**

EAN : 3582322213476

SKANA**CLUTCH SPANNER WRENCH****3 HOOKS**

Spanner wrench with 3 hooks for disassembly of a chainsaw clutch. Pitch center 30 mm.

**REF : 9207034**

EAN : 3582329991834

SKANA**CLUTCH SPANNER WRENCH****4 HOOKS**

Spanner wrench with 4 hooks for disassembly of a chainsaw or brushcutter clutch.

**REF : 9207811**

EAN : 3582322213483

SKANA**CARBURETOR SCREWDRIVER**

Very thin regulating screwdriver - 2,5 x 75 mm. For finetuning ECHO carburetors.

**REF : 9207023**

EAN : 3582329989152

SKANA**CARBURETOR CLEANING TOOL**

Cleans nozzles and leads of dirty carburetors. Includes 12 calibrated steel rods with Ø: 0,45 to 1,68 mm.

**REF : 9207022**

EAN : 3582321481227

ECHO**SET CARBURETOR SCREWDRIVERS**

ECHO® and SHINDAIWA® Carburetor adjustment set, contains a holder, 3 specific adjustment rods and an adjustment tool.

**REF : 9207032**

EAN : 3582329991698

WORKSHOP EQUIPMENT**HUSQVARNA****CLUTCH SPANNER WRENCH****2 HOOKS**

Replaces original : 502 54 16-03, 5025416-03

Socket wrench for removing a HUSQVARNA clutch for 340, 345, 346, 346XP, 350, 351, 353, 445, 445II, 450, 450II, 455, 455II, 460, 460II, 465, 465II, 545, 545 Mk II, 550XP, 550XP Mk II models.

**REF : 9207808**

EAN : 3582322215814

HUSQVARNA**CLUTCH SPANNER WRENCH****3 HOOKS**

Replaces original : 502 52 22-02, 504 00 23-01, 5025222-02, 5040023-01

Socket wrench for removing a HUSQVARNA clutch for 355, 357, 359, 362, 365, 371, 372, 385, 555, 560XP, 562XP, 570, 575, 576, 576XP models.

**REF : 9207807**

EAN : 3582322213872

SKANA**FUEL LINE CUTTER**

Universal tool for cutting fuel hose.

**REF : 9207037**

EAN : 3582321749488

**SKANA****SET CARBURETOR SCREWDRIVERS**

Set of 11 carburetor adjustment screwdrivers and cleaning brushes including:

- 2 corner shaped
 - 2 star shaped
 - 1 hexagonal shaped
 - 1 torx shaped
 - 2 "D"-shaped
 - 1 double "D"-shaped
 - 1 flat shaped screwdriver and 1 punch
- Supplied in a storage bag.

REF : 9207039

EAN : 3582321963518

WORKSHOP EQUIPMENT

UNIVERSAL

TAPE MEASURE

Tape measure 20 m.

- Plastic housing with metal handle, shock resistant.
- Glass fiber tape with strong eyelet.
- Class II EU standard.

REF : 9208603

EAN : 4050444069039



GEDORE
DES OUTILS POUR LA VIE

GEDORE

THICKNESS GAUGE

Set of thickness gauges with protection, foldable.

Includes 13 calibrated gauges from 0,05 to 1,00 mm with length of 100 mm.

REF : 9208486

EAN : 3582329989299



GEDORE

SPANNER WRENCH

With adjustable spacing.

For disassembly or assembly of a crankshaft clutch.

Use on chainsaws and brush cutters.



REF : 9208479

EAN : 3582329989220

GEDORE

NUT & WASHER SUPPORT

Support for nuts and washers from M3 to M8.

Designed for hard to reach places.

Very handy tool.



REF : 9208470

EAN : 3582329971935

GEDORE

EXTRACTOR 2 ARMS

Extractor with 2 reversible claws.

With M14 x 1,5 x 125 mm central bolt.



REF : 9208467

EAN : 3582329975209



UNIVERSAL

MANUAL VACUUM PUMP

Manual vacuum pump in metal. Professional model for gardening and automotive use.

Supplied in a case with accessories.

REF : XMITYVAC8550

EAN : 5410048411372

SKANA

SPRING WIND TOOL

Starter spring rewind tool. Handy tools to install starter springs of small 2 stroke engines. SIMPLE, FAST AND SAFE!

REF : 9207806

EAN : 3582329941167



SKANA®

MEASURING INSTRUMENT

Template for measuring bolt and screw diameters in inches and metric, as well as thread pitches. Essential at the counter or in a workshop.

REF : 9207030

EAN : 3582329991452



GEDORE

BEARING EXTRACTOR

Bearing extractor for extracting bearings and other flat or thin-walled parts.
Suitable for a width of 12 to 75 mm.

REF : 9208488

EAN : 3582329989312




GEDORE

EXTRACTOR

Pitch center 60-165 mm.
Height 180 mm.
To combine with our 9208488.

REF : 9208489

EAN : 3582329989329



SKANA

OIL DRAIN VALVE

Engine oil drain cap suitable for BRIGGS & STRATTON, KOHLER, MTD, TECUMSEH ride-on mower engines.
No longer requires key for oil drain.
Attaches in place of the original oil cap on the side.

REF : 9200529

EAN : 3582329951456




SKANA

DISASSEMBLY KEY

Bearing extractor, for bearings with internal Ø from 12 to 38 mm.

REF : 9207812

EAN : 3582322213490



KSTOOLS

VICE JAWS

Aluminum vice jaws.
With rubber protection to protect delicate or fragile objects.
Width: 160 mm.

REF : 9208563

EAN : 4042146330678



KSTOOLS

OIL FILTER PLIERS

Oil filter pliers.
Adjustable 5 positions for Ø 50 to 125 mm.
Total length: 290 mm.
Weight: 500 g.

REF : 9208559

EAN : 4042146224861



KSTOOLS

OIL FILTER WRENCH WITH CHAIN

For Ø up to 110 mm.
Chrome Vanadium steel handle.
Handle length: 390 mm.

REF : 9208555

EAN : 4042146157428



GEDORE

STRAP WRENCH

In non-slip textile.
For filter diameters up to 140 mm.
Chrome-vanadium steel handle.

REF : 9208441

EAN : 3582329971898



GEDORE

OIL FILTER WRENCH

Self-tightening with hand.
With 3/8" square.
For external Ø: from 60 to 120 mm.

REF : 9208476

EAN : 3582329970099




KSTOOLS

PLIERS LONG MODEL

Extra long straight-nose pliers.
For hard to reach places.
Total length: 270 mm.

REF : 9208552
EAN : 4042146122044




KSTOOLS

PLIERS LONG MODEL 90°

Extra long 90° needle nose pliers.
For hard to reach places.
Total length: 270 mm.

REF : 9208553
EAN : 4042146122068



KSTOOLS

HOSE CLAMP

For fuel hose Ø up to 15 mm.
Ideal for cutting off the flow of fuel or oil to
an engine, during disassembly.
Can be used in many areas.
Made of plastic, resistant up to 160° C.

REF : 9208560
EAN : 4042146014981



KSTOOLS

LOCKING PLIERS

Jaw opening up to 55 mm.
Total length: 175 mm.
Weight: 340g.

REF : 9208556
EAN : 4042146071663



GEDORE

TRIANGULAR SCRAPER

Triangular shaped scraper.
Length: 170 mm.

REF : 9208474
EAN : 3582329970082



SKANA

V-BELT MEASURER

Belt measurer for easily measuring the
length and width of V-belts.
Suitable for the following sizes: 10 - 13 & 16
mm & Types A, B, 3L, 4L, 5L from 14"
to 100" length.

REF : 9206932
EAN : 3582323310303



UNIVERSAL

STRIPPING PLIERS

Stripping and crimping pliers.
Ideal for the installation of robotic
lawnmowers.
For cables from 0,2 to 6 mm².

REF : 9202541
EAN : 3582321841960



GEDORE

TENSION DETECTOR

Brass voltage detector with indicator lamp.
For voltages from 6 to 24 volts.

REF : 9208465
EAN : 3582329973526



SKANA

EXTENSION V-BELT MEASURER

Extension for belt measurer. For 10 - 13 &
16mm V-belts and types A, B, 3L, 4L, 5L. Add
40 "or 1,02m to our model 9206932.

REF : 9206934
EAN : 3582321853055


KSTOOLS
SOCKET SET INCH

Set of American 6-point sockets.

INDISPENSABLE WHEN WORKING ON AMERICAN ENGINES

Set of 47 pieces.

Composition of the sockets:

- 3x 1/4" flat screwdriver sockets: 4 - 5,5 - 7 mm.
- 2x 1/4" Phillips screwdriver sockets: PH1, PH2.
- 20x 1/4" hex sockets: 5/32" - 3/16" - 7/32" - 1/4" - 9/32" - 5/16" - 11/32" - 3/8" - 7/16" - 1/2".
- 5x 1/8" hex sockets: 5/32" - 3/16" - 7/32" - 1/4".
- 6x 1/4" Torx sockets: T10 - T15 - T20 - T25 - T30 - T40.
- 4x 1/4" 12-point sockets: M4 - M5 - M6 - M8.

REF : 9208537

EAN : 4042146100233


KSTOOLS
SCREWDRIVER SET

Screwdriver set.

Ideal for loosening stuck screws.

Works by shock.

Reversible model.

Comes with 9 tips.

REF : 9208551

EAN : 4042146032145

KSTOOLS
LONG SOCKET SET

1/2" long socket set.

For manual use.

- Includes 10 sockets of 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm

REF : 9208541

EAN : 4042146358351


KSTOOLS
BIT SET 1/4"

1/4" bit and bit holder set.

Composition:

- 1x 1/4" adapter.
- 1x 1/4" extension.
- 3x Phillips screwdriver bits: PH1 - PH2 - PH3.
- 6x Phillips screwdriver bits: 2 x PZ1 - 2 x PZ2 - 2 x PZ3.
- 3x flat screwdriver bits: 5,5 - 6,5 - 8 mm.
- 3x hexagonal bits: 4 - 5 - 6 mm.
- 15x Torx bits: 2 x TB10 - 3 x TB15 - 2 x TB20 - 3 x TB25 - 3 x TB30 - 2 x TB40.

REF : 9208545

EAN : 4042146048627


KSTOOLS
SOCKET SET

Box of metric 6-point sockets.

Set of 46 pieces.

Composition of the sockets:

- 3x flat screwdriver sockets: 4 - 5,5 - 7 mm.
- 3x Phillips screwdriver sockets: PH1, PH2, PH3.
- 2x Phillips screwdriver sockets: PZ1, PZ2.
- 13x hexagonal sockets: 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14.
- 6x hexagonal sockets: 3 - 4 - 5 - 6 - 7 - 8 mm.
- 7x Torx sockets: T10 - T15 - T20 - T25 - T27 - T30 - T40.

REF : 9208540

EAN : 4042146043257



GEDORE

PUNCH SET

7-pcs arc punch set.

Ø 4, 6, 8, 10, 12, 14 and 16 mm (equivalent in inches to 5/32", 1/4", 5/16", 3/8", 15/32", 9/16" and 5/8").

For cutting rubber, paper gaskets, gaskets and other soft materials.

REF : 9208495

EAN : 3582321714387



GEDORE

THREAD MEASURER

Thread meter METRIC & WHITWORTH (USA).

Essential for measuring all types of threads.

REF : 9208469

EAN : 3582329970075



GEDORE

PIN EXTRACTORS

Set of 6 pin extractors.

Ø: 3, 4, 5, 6, 7, 8mm.

REF : 9208457

EAN : 3582329970044



KSTOOLS

KSTOOLS

TAP HOLDER

Reversible tap holder.

For M3 to M10 taps.

Length: 85 mm.

REF : 9208561

EAN : 4042146237564



GEDORE
DES OUTILS POUR LA VIE

GEDORE

SOCKET WRENCH

With two-component handle.

T-handle.

Length: 230 mm.

	Ø (mm)	PRICE
9208508	8	
9208509	10	
9208510	13	



KSTOOLS

KSTOOLS

HEX T-WRENCH

With two-component handle.

T-handle.

With 2 hexagonal bits for hexagonal socket screws.

	Ø (mm)	PRICE
9208573	2	
9208546	3	
9208547	4	
9208548	5	
9208549	6	



SKANA

ASSORTMENT BOX

Empty assortment box with 10 adjustable compartments to make your own assortment sets.

REF : 9211000
EAN : 3582329915601



SKANA

ASSORTMENT BOX SHAFT CLIPS

Assortment box starlock retaining rings with and without dust cover.
For axle ends from Ø 4 to 14 mm, ideal for wheels, drive rollers, etc.
Contents 190 pieces.

+
190 pieces

REF : 9216005
EAN : 3582324000012



SKANA

ASSORTMENT BOX PINS

Assortment box pins.
Contents 141 pieces.

+
141 pieces

REF : 9216018
EAN : 3582323307914



SKANA

ASSORTMENT BOX PODS

Assortment box with open or closed pods.
Content 175 pieces.

+
175 pieces

REF : 9216013
EAN : 3582323307396

SKANA

ASSORTMENT BOX CIRCLIPS

Assortment box clips.
Contents 300 pieces.

REF : 9216003
EAN : 3582323307280



+
300 pieces



SKANA

ASSORTMENT BOX CLIPS

Assortment box clips.
Contents 300 pieces.

REF : 9216002
EAN : 3582323307273



+
300 pieces



SKANA

ASSORTMENT BOX SPLIT PINS

Assortment box split pins.
Content 555 pieces.

REF : 9216007
EAN : 3582323307242



+
555 pieces



SKANA

ASSORTMENT BOX PINS

Assortment box bow-tie locking cotter pins for tube diameter 4,8 to 19 mm.
Contents 80 pieces.

REF : 9218340
EAN : 3582321844961



+
80 pieces



SKANA

ASSORTMENT BOX FUSES

Assortment box "STANDARD" fuses from 2 A to 30 A.
Content 80 pieces.

REF : 9216025
EAN : 3582321363110



+
80 pieces

ASSORTMENT BOXES

SKANA

ASSORTMENT BOX FUSES

Assortment box "MINIVAL" fuses from 3 A to 30 A.
Content 80 pieces.



+ 80 pieces

REF : 9216024
EAN : 3582321363127

SKANA

ASSORTMENT BOX THERMO SHRINK TUBES

Assortment box containing 127 colored thermo shrink tubes with Ø: 1,6 mm to 12,7 mm and length from 35 to 100 mm.



+ 127 pieces

REF : 9216032
EAN : 3582329971966

SKANA

ASSORTMENT BOX ELECTRICAL CLIPS

Assortment box containing different red and black alligator type electrical clips.
Contains 22 pieces.



+ 22 pieces

REF : 9218341
EAN : 3582321844442

SKANA

ASSORTMENT BOX WEDGES

Assortment box half moon wedges.
Content 250 pieces.



+ 250 pieces

REF : 9216017
EAN : 3582323304074

SKANA

ASSORTMENT BOX FUEL TAPS & FILTERS

Assortment box fuel filters and taps.
Content 40 pieces.



+ 40 pieces

REF : 9216035
EAN : 3582323307433

SKANA

ASSORTMENT BOX FUEL FILTERS

Assortment fuel strainers for brushcutters and chainsaws.
Content 66 pieces.



+ 66 pieces

REF : 9216214
EAN : 3582329915021

SKANA

ASSORTMENT BOX BOLTS AND NUTS FOR BRUSHCUTTERS

Assortment box containing 120 nuts and bolts for brushcutter gearcase and driveshaft.
Assortment of 12 article numbers (and 10 pieces per article number).



+ 120 pieces

REF : 9213000
EAN : 3582323307884

SKANA

ASSORTMENT BOX GREASE NIPPLES US THREAD

Assortment box grease nipples, straight and bent, US thread.
Content 110 pieces.




+ 110 pieces

REF : 9216209
EAN : 3582323307389

SKANA

ASSORTMENT BOX GREASE NIPPLES METRIC

Assortment box grease nipples, straight and bent, metric thread.
Content 100 pieces.



+ 100 pieces

REF : 9216210
EAN : 3582323307785

SKANA

ASSORTMENT BOX O-RINGS

Assortment box O Rings.
Content 225 pieces.



+ 225 pieces

REF : 9216211
EAN : 3582323307365

CYANOACRYLATE GLUE

LOCTITE 3090 cyanoacrylate glue.

- Immediate multi-material bonding.
- 10 g syringe.

REF : 8203082
EAN : 5010266001357



+ 10 g

LOCTITE

LIQUID GASKET BLUE "5926"

Liquid gasket LOCTITE BLUE 5926.

- For sealing joint surfaces and casings.
- 40ml tube.

REF : 8207032
EAN : 5010266429434



+ 40 ml

LOCTITE

LIQUID GASKET BLACK "5910"

Liquid gasket LOCTITE BLACK 5910.

- For metal or plastic surfaces.
 - Oil resistant.
 - Service temperature -55 to + 200°C.
- 100 ml automatic cartridge.

REF : 8207037
EAN : 4058093017128



+ 100 ml

LOCTITE

SURFACE SEALANT "518"

Surface sealant LOCTITE 518.

- Perfectly suited for sealing metal joint surfaces.
 - Maximum resistance: 6 to 12 hours.
- 50 ml syringe

REF : 8207025
EAN : 5010266374307



+ 50 ml

LOCTITE

PIPE SEALANT "577"

LOCTITE 577.

- Sealing of hydraulic and pneumatic connections up to 40 mm.
 - Maximum resistance: 48 hours.
- 50 ml bottle.

REF : 8207024
EAN : 5010266577449



+ 50 ml

LOCTITE

HIGH-STRENGTH BONDER "648"

LOCTITE 648 high-strength bonder.

- Fixing bearings, rings, liners, inserts, pulleys, etc.
 - Features:
 - Anaerobic adhesive.
 - Medium viscosity, high resistance.
 - Temperature resistance: - 55 °C + 150 °C.
- 24 ml bottle.

REF : 8207022
EAN : 5010266006529



+ 24 ml

LOCTITE

SUPERGLUE 3 GLUE

LOCTITE 401

- Multi-use.
- 5 g tube.

REF : 8207019
EAN : 5010266317786

+ 5 g



LOCTITE

LIQUID GASKET BLACK "5910"

Liquid gasket LOCTITE BLACK 5910.

- For metal or plastic surfaces.
 - Oil resistant.
 - Service temperature -55 to + 200°C.
- 40 ml tube.

REF : 8207036
EAN : 3582321844954

+ 40 ml



LOCTITE

GASKET REMOVER "7200"

Gasket remover LOCTITE 7200.

- Quickly removes old joints.
 - Can be used on metal surfaces as well as wood, plaster, etc. excluding plastics and synthetic fibers.
- 400 ml spray can.

REF : 8207021
EAN : 5010266310367

+ 400 ml



LOCTITE

THREADLOCKER "243"

Threadlocker LOCTITE 243.

- Average resistance.
 - For threaded assemblies for disassembly with manual tools.
- 24 ml bottle.

REF : 8207039
EAN : 5010266001296

+ 24 ml



LOCTITE

THREADLOCKER "271"

Threadlocker LOCTITE 271.

- Strong resistance.
 - For threaded assemblies subject to shock, fixing studs on engine blocks, screws or bridge studs, etc....
- 24 ml bottle.

REF : 8207038
EAN : 5010266164403

+ 24 ml



MAINTENANCE PRODUCTS



LOCTITE

LOCTITE

HAND SOAP "7850"

Cleansing cream LOCTITE 7850.

- Hand cleaner based on natural essences.
 - Rinse with or without water.
 - Biodegradable
- 3 l bottle.

REF : 8207033
EAN : 4058093001974

OEM PART

+ 3 L



LOCTITE

LOCTITE

DEGREASER "7840"

Concentrated degreaser cleaner LOCTITE 7840.

- Eliminates grease, oil, cutting fluids and various dirt.
- For multiple applications.
- Biodegradable

OEM PART



	CONTENT	PRICE
8207026	750 ml	
8207027	5 L	

LOCTITE

LOCTITE

ANTI-SLIP BELT SPRAY "8005"

Anti-slip belt spray LOCTITE 8005.

- Maximum resistance: 6 to 12 hours.
- 400 ml spraycan.

REF : 8203084
EAN : 5010266314358

OEM PART

+ 400 ml



MOTIP

MOTIP

PLASTIC FILLER

Two-component black polyester filler.

- Designed for filling scratches and other damage, also allows the touch-up of stuck plastic parts.
 - Applies to PP, PUR, ABS, etc...
 - Not suitable for soft plastics.
 - Can be applied to body parts and galvanized sheets.
 - Sanding after 30 minutes.
- 250 g jar.

REF : 8207044
EAN : 4048500443381

+ 250 g



MOTIP

MOTIP

BASE COAT

Transparent base coat.

- For durable painting of hard plastics.
 - Can be used on polyurethane (PUR), polystyrene (PS), polyamide (PA), propylene rubber (EPDM), ABS, glass fiber reinforced plastic (GRP) and hard PVC.
- 400 ml spraycan.

REF : 8207041
EAN : 8711347040636

+ 400 ml





MOTIP

ANTI-SLIP BELT SPRAY

Anti-slip belt spray MOTIP.

- Prevents slipping, tearing and wear of V-belts.

500 ml spraycan.

REF : 8207042
EAN : 8711347226382

+ 500 ml



MOTIP

ANTI-MARTEN

Anti-marten spray. Protects cables, pipes and hoses against rodents. Leaves a protective, transparent and viscous film keeping animals at bay.

Works on moving parts.
500 ml spraycan.

REF : 8207043
EAN : 8711347226405

+ 500 ml



UNIVERSAL

BRAKE CLEANER

Brake cleaning spray.

500 ml spraycan.

REF : 8200954
EAN : 4050444280441

+ 500 ml



HOLTS

SPRAY ENGINE START

START PILOT engine starter spray.

For all petrol and diesel engines.
300 ml sparycan.

REF : 8203075
EAN : 5010218004450

+ 300 ml




MECHANIC IN A BOTTLE

FUEL TEST KIT X60

Fuel tester kit.

- Delivered with 60 cotton swabs allowing you to quickly check the quality of the fuel, it also indicates if there is water contained in a jerry can or in the tank of a machine to be checked.
- Simple, effective and fast test. The result is achieved within a few minutes.
- Suitable for all fuels for 2 and 4 stroke engines. Delivered with explanatory note.



REF : 8101002
EAN : 3582321725482

FUEL LIFE

FUEL STABILIZER

Stabilizer fuel powder consisting of 5 bags of 18g.

- for treating 1 to 4 liters of fuel per bag.
- Can be put directly into the tank of the equipment.
- To be replaced twice a year in the case of a professional or intensive use, if not to change once a year.

REF : 8101005
EAN : 3582321837772





WD-40

MULTIFUNCTION SPRAY

WD-40

Universal lubricant WD-40.

REF : 8204005
EAN : 5032227495005

+ 5 L

WD-40

MULTI-USE SPRAYER

For WD-40 lubricant in 5 liters (8204005) or other liquids.

REF : 8304000
EAN : 5012594440006

+ 500 ml



WD-40

WD40 MULTISPRAY FLEXIBLE-STRAW 400 ML

WD40 flexible metal straw. Straw bends and keeps its shape. Sprays 2 ways. For hard to reach places. Protects metal against rust and corrosion. It penetrates to free stuck corroded parts and avoids moisture.

REF : 8208348EG

+ 400 ml

WD-40

DISPLAY MULTIPURPOSE LUBRICANT WD-40. CONTENTS 12 X 100 ML

Price for display with 12 spraycans.

Text in French - Dutch - German.

REF : 820WD40100EG
EAN : 5032227008731

+ 100 ml



WD-40

MULTI-FUNCTIONAL SPRAY

Multipurpose lubricant WD-40. Contents 250 ml.

Text in French - Dutch - German.

REF : 820WD40250EG
EAN : 5032227317833

+ 250 ml





WD-40

MULTIFUNCTION SPRAY WD-40

WD-40 double position multifunction spray.

Text in French - Dutch - German.

REF : 8208347EG
EAN : 5032227310377

450 ml



DOUBLE POSITION

8208185EG

8208187EG




8208188EG

8208189EG

8208190EG

8208192EG

8208193EG



WD-40

WD-40 SPECIALIST

Text in French - Dutch - German.

	TYPE	CHARACTERISTICS	CONTENT	
8208185EG	SILICONE LUBRICANT	- Provides both insulation against humidity and anti-corrosion protection after rapid drying. - Can be used on all metals, plastic, rubber and wood.	400 ml	12
8208187EG	CONTACT CLEANER	- Effectively dissolves oils, greasy deposits, dirt, dust, solder flux residue and condensation on equipment electrical or electronic. - Its non-conductive, fast-evaporating anti-corrosion formula leaves no residue and is compatible with all metals, plastics and rubbers.	400 ml	12
8208188EG	DRILLING & CUTTING OIL	Drilling and cutting oil.	400 ml	12
8208189EG	LITHIUM GREASE	High performance white lithium grease.	400 ml	12
8208190EG	PTFE SPRAY	Dirt & dust resistant dry lube PTFE spray. Contains Polytetrafluoroethylene. Can be used on metals, plastic and glass.	400 ml	12
8208192EG	LONG LIFE GREASE SPRAY	Long life grease spray.	400 ml	12
8208193EG	FAST ACTION DEGREASER	The degreaser with immediate effectiveness.	500 ml	12



Text in French - Dutch.

1

X'OIL

100% PLANT-BASED ANTI-RESIN SPRAY

100% plant-based anti-resin spray,
cleans and maintains hedge trimmer
blades, pruner blades.
250 ml spraycan.

REF : 8202407PLUS
EAN : 358232205358



2

X'OIL

ANTI-RESIN & CLEANING SPRAY

Anti-resin and cleaning spray with
formula made from vegetable oil, for
hedge trimmer blades, pruning shears.
200ml spraycan.

REF : 8202407BIO
EAN : 3582324600038



3

X'OIL

ANTI-GRASS

Anti-grass.
250 ml spraycan.

REF : 8202408
EAN : 3582320316001

4

X'OIL

PENETRATING OIL

Penetrating oil.
250 ml spraycan.

REF : 8202409
EAN : 3582320312003

5

X'OIL

RESIN SOLVENT SPRAY

Resin solvent spray.
250 ml spraycan.

REF : 8202407
EAN : 3582320315004

6

X'OIL

STARTING FLUID SPRAY

Engine starter spray.
250 ml spraycan.

REF : 8202411
EAN : 3582320310207

7

X'OIL

CARBURETOR CLEANER

Carburetor cleaning spray.
500 ml spraycan.

REF : 8207714
EAN : 3582324600021

8

X'OIL

GREEN ZINC GREASE

Green zinc grease.
250 ml spraycan.

REF : 8202410
EAN : 3582320314007

PUMPS & ACCESSORIES

UNIVERSAL

HAND PISTON PUMP

Hand pump with immersion tube.

- Extendable from 457 mm to 890 mm.
- Flow rate 0.25 l/stroke or approximately 25 l/min.
- 1-1/2" (38 mm) and 2" (50 mm) adapter fitting for oil/diesel drums.

REF : 8301000
EAN : 3582329969987



UNIVERSAL

HAND PISTON PUMP

Piston hand pump.

- Flow rate 0,50 l per pump stroke.
- Supplied with 3 telescopic tips ranging from 69 to 98 cm and 2 m unclogging hose.
- 50 mm (2") adaptation for drums.
- For water, lubricants, kerosene, diesel, hydraulic oils, thinner, solvents, antifreeze, mild detergents and agricultural pesticides.

REF : 8301003
EAN : 3582329989022



SKANA

SYPHON PUMP

Pump for manual transfer of fluids.

Works by means of bellows.

Including 1,60 m hose.

REF : 8309641
EAN : 3582329970150



UNIVERSAL


MIXING BOTTLE

Plastic mixture bottle for 2-stroke mixtures.

Grading: 1/25 (4%), 1/32 (3%), 1/40 (2,5%), 1/50 (2%).

Content 1 liter.

REF : 8302069
EAN : 3582321362250



UNIVERSAL


PITCHER

Plastic measuring jug.

With cap and lid.

Content 2 liter.

REF : 8303110
EAN : 3582323310266



UNIVERSAL


OIL MIX BOTTLE

Oil measure for 2-stroke mixtures.

Grading: 2%, 3%, 5% & 8%.

Content 500 ml.

REF : 8303100
EAN : 3582320693904



PUMPS & ACCESSORIES

UNIVERSAL

PLASTIC

Plastic funnel with filter
Ø: 100 mm.

REF: 8300987
EAN: 358232092726



UNIVERSAL

METAL + FLEXIBLE SPOUT Ø 160 MM

Galvanized steel funnel.
Delivered with hose and filter.
• Ø: 160 mm

REF: 8303097
EAN: 3582323310280



UNIVERSAL

PLASTIC + FLEXIBLE

Plastic funnel
Ø 165mm.
With filter, flexible hose
and hose connector.

REF: 8308135
EAN: 3582321361819



UNIVERSAL

PLASTIC

Plastic funnel with filter
Ø: 145 mm.

REF: 8303099
EAN: 3582323310402



UNIVERSAL

PLASTIC + FLEXIBLE

Plastic funnel Ø 140 mm.
With filter und flexible hose.

REF: 8303098
EAN: 3582321705934



UNIVERSAL

JERRYCAN HOLDER 20L

Black, in metal.
Allows you to secure the jerrycan with a pin
or padlock to protect the can against falls
or theft.
For jerrycans 8307003, 8307000.
Length: 364 mm.
Width: 174 mm.
Height: 485 mm.

REF: 8304355
EAN: 4007228435504




PRESSOL

OIL DRAIN PAN 6L

Plastic, for cleaning or emptying.
With pour spout and drip tray.
Maximum capacity: 6 liter.

REF: 8306928
EAN: 3582323310341




UNIVERSAL

OIL DRAIN PAN 7L

Multi-use.
Combination of drain pan and
transportable jerry can.
Robust, with integrated funnel
allowing direct emptying.
Capacity of 7 liter.

REF: 8307009
EAN: 3582321470566



UNIVERSAL

JERRYCAN HOLDER 10L

Black, in metal.
Allows you to secure the jerrycan with a pin or padlock to protect the
can against falls or theft.
For jerrycans 8307002, 8306999.
Length: 364 mm.
Width: 174 mm.
Height: 292 mm.

REF: 8304356
EAN: 4007228435603

UNIVERSAL

OIL EXTRACTOR

In metal.
Delivered with suction hose.
Capacity of 0,6 liter.

REF : 8306922
EAN : 3582323310181



UNIVERSAL

OIL EXTRACTOR 6,5 L

Oil extractor by manual vacuum pump.
Allows you to quickly drain lawn mowers, ride-on mowers, tillers, motorcycles, cars, etc.
Comes with different adapters.
Capacity of 6,5 liter.

REF : 9200530
EAN : 3582322000049



FLEXBIMEC

OIL EXTRACTOR 24 L

Pneumatic oil extractor.
Allows you to drain any type of engine.
Supplied with tubes of different diameters.
Large tank capacity: 24 liter.

REF : 9202524
EAN : 3582324003679



UNIVERSAL

COLLECTION PAN 30 L

Retention basin 30 l.
• Slatted floor anti-slip.
• 100% polyethylene, 100% recyclable.
Dimensions: L: 600 mm, W: 405 mm, H: 155 mm.

REF : 9209810
EAN : 3582321481166



PUMPS & ACCESSORIES

X'OIL

OIL EXTRACTOR SET

For lawn mower engines.

- Contains 1 spout,
- 1 suction hose,
- 1 funnel,
- 1 bottle (1L).

REF : 8309333
EAN : 3582321363592



MOTOCULTURE - GARDENING

X'OIL

OIL EXTRACTOR SET

- Contains pump,
- 2 rubber hoses for oil and fuel, 1 cup of 1,4 L for the extracted oil or fuel,
- A 10 cm connection,
- A universal adaptor.

REF : 8308064
EAN : 3582321360997



UNIVERSAL

COLLECTION PAN 250 L

Drip tray for storing 250-liter barrels.
• Removable grid, easy to move with a pallet jack or forklift.
• 100% PE, 100% recyclable.
Dimensions: L: 1300 mm, w: 750 mm, H: 440 mm.

REF : 9209800
EAN : 3582329915595



2T



X'OIL

2-STROKE OIL

Text in French - Dutch.

	TYPE	CONTENT	QTY/BOX
8102322	Semi-synthetic	2 L	12
8102324	100% synthetic	2 L	12

IK SMEER !
JE LUBRIFIE !

4T



X'OIL

4-STROKE OIL

Text in French - Dutch.

	TYPE	CONTENT	QTY/BOX
8107017	10W40 (API SJ/CF)	2 L	12
8109666	10W30 (API SJ/CF - JASO MA2)	2 L	12
8102334	SAE 30 (API SJ/CD)	20 L	1


X'OIL

TRANSMISSION OIL

80W90 (API GL4, MIL-L-2105)
2 L, order in boxes of 12 pieces.

Text in French - Dutch.

REF : 8102331
EAN : 3582321886008




X'OIL

X'OIL HYDRAULIC OIL

For log splitters etc.
- Excellent resistance to oxidation.
- Great thermal stability.
- Extends the drain space.
- Very good shear resistance.
HV ISO 46 - HLP46 - ZS46

Text in French - Dutch.

REF : 8108185
EAN : 3582321361901




X'OIL

X'OIL SAW CHAIN OIL

Highly adhesive. Viscosity 97.
Kinematic viscosity 100 mm²/s at 40°C.
25 liter packaging.

Text in French - Dutch.

REF : 8109656
EAN : 3582321470528



X'OIL

LEAD REPLACEMENT

FUEL ADDITIVE AND LEAD SUBSTITUTE
For all garden machinery.

Dose bottle of 250 ml / for 250 liters
SP 95 or 98.

Text in French - Dutch.

REF : 8102332
EAN : 3582320317008



X'OIL

FUEL STABILIZER

Stabilizes the quality and properties of the
fuel during the wintering period.
Treats 250 liters of SP 95 or 98 fuel.
250 ml bottle.

Text in French - Dutch.

REF : 8102333
EAN : 3582321470535



UNIL OPAL

MULTIAPPLICATION GREASE

Multiapplication grease.
Contents 1 kg.

REF : 8209100
EAN : 3582329965446



PROMOTION



WINTER PREPARATION

UNIVERSAL

FOLDABLE CRATE

Universal foldable transport/storage crate for robotic lawnmowers, in sturdy gray plastic.

Ideal for storing the robotic lawnmower during transport or during the winter months.

Many other possible uses....

Inner dimensions:

- Length: 760 mm.
- Width: 560 mm.
- Height: 325 mm.




REF : 9202560
EAN : 3582321997155

UNIVERSAL

LID FOLDABLE CRATE

Lid for universal foldable transport/storage crate 9202560.

REF : 9202561
EAN : 3582321997162



UNIVERSAL

CONTINUITY TESTER FOR ROBOTIC MOWER CABLE

This professional tester will help you find the cable break and locate it much faster than ordinary testers. Adjustable sensitivity according to its own needs to reduce the targeted range.

Technical data:

- Max cable length - 10 km.
- Depth distance - 2 m.
- Power transmitter: 3.7V lithium battery.
- Receiver: 3.7 V lithium battery.
- Multi-frequency pulse signal transmission format.
- Signal output level 21Vp-p.



REF : 9202554
EAN : 3582321850740

UNIVERSAL

SILICA GRANULES X100

Pack of 100 bags of Silica moisture absorbing granules.

Each bag contains 10g granules.

The granules are mainly used to keep the motherboard and motors free of moisture and change color as they have absorbed more moisture.

x100



REF : 9200020
EAN : 3582322277911

NEW !

UNIVERSAL

THREAD REPAIR KIT

Repair kit for damaged chassis threads is compatible with both Husqvarna Automower and many other brands of robotic lawn mowers. With this thread insert, you can easily repair the damaged threads with new metal ones, which screw directly into the plastic chassis.

In some models and situations, the hole in the chassis may need to be drilled out before installation; this is done with the included 6,5 mm drill.

The thread inserts are made of brass, and the screws are made of stainless steel (A4 quality). The repair kit contains 10 screws, 10 thread inserts and a 6,5mm drill.

3,70

REF : F99210001
EAN : 358232227744



NEW !

UNIVERSAL

CONTINUITY TESTER FOR ABOVE-GROUND ROBOTIC MOWER CABLE

Locates very easily the cable break of the installation that needs to be checked.

11,50

REF : 9202540B
EAN : 3582322217788





GARDY PARTS

COVER RIDE-ON MOWER SIDE DISCHARGE

For ride-on mowers with side discharge,
in black polyester.
Dimensions: 177 x 110 x 110 cm.

REF : 9102492
EAN : 3582321481128



GARDY PARTS

COVER RIDE-ON MOWER REAR DISCHARGE

For ride-on mowers with rear discharge,
in black polyester.
Dimensions: 203 x 127 x 137 cm.

REF : 9102494
EAN : 3582321481135



GARDY PARTS

COVER RIDE-ON MOWER REAR DISCHARGE XXL

For ride-on mowers with rear discharge,
in black polyester.
Extra-large model.
Dimensions: 275 x 130 x 140 cm.

REF : 9102497
EAN : 3582321854120



GARDY PARTS

COVER LAWN MOWER

Black polyester cover for
lawn mowers.
Dimensions: 185 x 59 x 68 cm.

REF : 9102491
EAN : 3582321481111



GARDY PARTS

COVER SNOW THROWER

In black polyester.
Dimensions: 196 x 123/96 x 114cm.

REF : 9102495
EAN : 3582321481173

GARDY PARTS

COVER POWER GENERATOR

In black polyester.
Dimensions: 73 x 53 x 61 cm.

REF : 9102496
EAN : 3582329999571



LS - CLEANING FOUNTAINS - BATTERY ACCS



EuroGarden



REF : 8306922

03/11 • 28/11



ACCS & WORKSHOP

ACCS & WORKSHOP

ACCS & WORKSHOP

ACCS & WORKSHOP

ACCS & WORKSHOP



REF : 8200973

Non-contractual photos, subject to typographical errors. Descriptive elements of items such as dimensions, weight, and color are presented - purely indicative and have no contractual value. Any difference between these descriptive mentions and the actual dimensions cannot be the subject of complaints on this sole and unique basis. Presentation suggestions. Reproduction, even partial, is prohibited. Do not throw on public roads. The offer for the sale of products presented in this catalog is valid within the limits of available stocks.



REF : 9206151

REF : 9202519

ANTS & MAINTENANCE PRODUCTS - ACCS

www.eurogarden.com

